

INDEX

A

AAA Self-Reflection
 for attention and speed of processing, 288
 cognition deficits and, 225, 267–268

Abbreviations, xv–xvi

ABC Scale. *See* Activities-Specific Balance Confidence Scale

Academic Skills Center, 372

Accommodation, impaired, 128–130

ACeS. *See* Activity Co-Engagement Self-Assessment

ACIS. *See* Assessment of Communication and Interaction Skills

Acquired stuttering, 260–263

Acronyms, xv–xvi

Activities of daily living
 attention-strategy practice tasks, 236
 memory strategy practice tasks, 241

Activities of Daily Living Scale, Vestibular Disorders, 28–29

Activities-Specific Balance Confidence Scale, 46–50

Activity Co-Engagement Self-Assessment, 356, 357, 359, 360–362

Acuity deficits, 123–125

ADAAA. *See* Americans With Disabilities Act Amendments Act of 2008

ADLs. *See* Activities of daily living

Adult-onset stuttering, 261, 262

Alphabet, phonetic, 327

Alternating attention, 234, 272, 280

American Physical Therapy Association, 15

American Speech Language and Hearing Association
 Functional Assessment of Communication Skills for Adults,
 218–220
 National Outcomes Measurement System, 458, 465

American Veterans With Brain Injury, 228

Americans With Disabilities Act Amendments Act of 2008, 373–374

Anomia, 260

Anticipatory awareness, 264

Anxiety
 academic performance and, 369

Army Regulation 670-671, 387

Army Service Uniform, 387

ASHA. *See* American Speech Language and Hearing Association

Assessment of Communication and Interaction Skills, 356–357, 358

Assessment tools
 Activities-Specific Balance Confidence Scale, 46–50
 administering, 4
 balance deficits, 46–85
 Balance Error Scoring System, 55–61
 Balance Evaluation Systems Test, 64
 cognition, 178–220
 Dix-Hallpike maneuver, 15–17
 dizziness handicap inventory, 25–26
 dual-task performance, 322–328
 Dynamic Visual Acuity Test, 19–20
 face sheet, 2
 head impulse test, 20–22
 head-shaking nystagmus test, 22–24
 interpreting, 4
 measurement of test validity, 3
 Mini-Balance Evaluation Systems Test, 65–66
 minimal detectable change, 3
 Modified Clinical Test of Sensory Interaction on Balance, 61–63
 Motion Sensitivity Quotient Test, 26–28
 posttraumatic headache, 148–155
 reliability of, 3

responsiveness to change, 3–4
 roll test, 17–18
 Romberg test, 52–54
 sensitivity and specificity of, 3
 Sharpened Romberg test, 52–54
 Single-Limb Stance Test, 50–52
 temporomandibular dysfunction, 168–170
 vestibular deficits, 10–29
 Vestibular Disorders Activities of Daily Living Scale, 28–29
 vision deficits, 98–120

Assistive technology aids, 372

Association on Higher Education and Disabilities, 373

Attention. *See also* Human information processing
 AAA Self-Reflection, 225, 267–268, 288
 alternating, 234, 272, 280
 auditory, 276–279, 286
 divided, 234, 272, 280
 experiencing attention levels, 231–232
 focused, 234, 272, 274–275
 hierarchy of attention levels, 234, 272
 identifying high- and low-demand tasks, 233, 281–283
 improving, 230, 233, 281–285, 288
 inventory of difficulties, 273
 managing interruptions and multiple tasks, 285
 menu of strategies based on attention hierarchy, 233, 234
 modifying approach and workspace, 284
 practice tasks for attention strategy rehearsal and transfer, 233,
 235–236
 selective, 234, 272, 276–279
 strategies based on patients' vulnerabilities associated with
 levels of attention, 234
 strategies to cope with difficulties, 232–233, 281–285
 sustained, 234, 272, 274–275
 Test of Everyday Attention, 186–188
 visual, 276–279, 287

Auditory attention, 276–279, 286

Awareness
 Change Begins With Awareness, 264
 promotion of, 223
 self-awareness, 348
 types of, 264

B

BADS. *See* Behavior Assessment of Dysexecutive Syndrome

Balance deficits
 Activities-Specific Balance Confidence Scale, 46–50
 assessment of, 46–85
 Balance Error Scoring System, 55–61
 Balance Evaluation Systems Test, 64
 computerized dynamic posturography, 66–69
 dynamic balance, 46
 fitness and conditioning program following vestibular dysfunction,
 39, 87–88
 Five Times Sit-To-Stand Test, 84–85
 functional gait assessment, 79–81
 gait speed, 77–79
 high-level mobility assessment tool, 69–73
 higher-level abilities, 86–87
 Illinois Agility Test, 81–83
 interventions, 85–88
 Mini-Balance Evaluation Systems Test, 65–66
 Modified Clinical Test of Sensory Interaction on Balance, 61–63

motor control test, 67–69
revised high-level mobility assessment tool, 74–76
Romberg test, 52–54
Sensory Organization Test, 66–69
Sharpened Romberg test, 52–54
Single-Limb Stance Test, 50–52
Balance Error Scoring System, 55–61
Balance Evaluation Systems Test, 64
Balance Manager Dynamic InVision System, 13
Barbecue roll maneuver, 32
Behavior Assessment of Dysexecutive Syndrome, 191–193
Behavior Rating Inventory of Executive Function-Adult, 190–191
Benign paroxysmal positional vertigo
 canalith repositioning maneuvers, 30–32
 horizontal canal canalithiasis, 32, 33
 posterior canal canalithiasis, 30–32
BESS. *See* Balance Error Scoring System
BESTest. *See* Balance Evaluation Systems Test
Bill paying, 346–347, 354–355, 401, 407–414
Binocular vision
 Eye Alignment Test, 108–110
 Stereo Randot Test, 118–119
biVABA. *See* Brain Injury Visual Assessment Battery for Adults
BNT. *See* Boston Naming Test
Boston Naming Test, 196–197
BPPV. *See* Benign paroxysmal positional vertigo
Brain Injury Association, 228
Brain Injury Visual Assessment Battery for Adults, 119–120
Breathe2Relax, 241
BRIEF-A. *See* Behavior Rating Inventory of Executive Function-Adult
Budget establishment, 353–354, 402–406

C

c/mTBI. *See* Concussion/mild traumatic brain injury
California Polytechnic State University, 372
Canadian Memorial Chiropractic College, 160
Canadian Occupational Performance Measure, 6, 337–339, 356
Canalith repositioning maneuvers
 background, 30
 for horizontal canal benign paroxysmal positional vertigo, 32, 33
 intervention, 30
 for posterior canal benign paroxysmal positional vertigo, 30–32
 strength of recommendation, 30
CAT. *See* Cognitive assistive technology
CDP. *See* Computerized dynamic posturography
Ceiling effect, 46
CEMM Traumatic Brain Injury, 228
Children
 environment of play, 422–423
 reengaging with, 356, 362–365
 role of cooperation in child-related activities, 422–423
 structure of play and parent-child activities, 420–421
 understanding infant behavior (0-1 Year Old), 416–417
 understanding toddler behavior (1-3 Years Old), 418–419
Clinical Test of Sensory Interaction on Balance, Modified, 61–63
CLQT. *See* Cognition deficits
CMT. *See* Contextual Memory Test
Co-Occurring Conditions Toolkit, electronic version, 241
Co-occurring Conditions Toolkit: Mild Traumatic Brain Injury and Psychological Health, 232
Cognistat, 180–181
Cognition deficits. *See also* Dual-task performance
 AAA Self-Reflection, 225, 267–268, 288
 acquired stuttering, 260–263

American Speech Language and Hearing Association Functional Assessment of Communication Skills for Adults, 218–220
assessment of, 178–220
attention hierarchy, 233, 234, 272
attention improvement, 230, 233, 281–285
The Awareness of Social Inference Test, 198–200
Behavior Assessment of Dysexecutive Syndrome, 191–193
Behavior Rating Inventory of Executive Function-Adult, 190–191
Boston Naming Test, 196–197
brief cognitive assessment, 180–184
broad assessment of cognitive-linguistic abilities, 184–186
Cognistat, 180–181
cognition education, 227–228
Cognitive-Linguistic Quick Test, 183–184
college accommodations for students with cognitive disabilities, 373–374
compensatory cognitive strategy learning, 225
Contextual Memory Test, 196
coping with attention/speed of processing difficulties, 232–233
core cognitive strategy recommendations grid and working log, 225–227, 265–266
Discourse Comprehension Test, 201–202
domain-specific assessments, 186–203
dynamic assessment of functional performance, 204–218
Dynamic Functional Task Observation Checklist, 204, 214–218
educational resources, 228
executive function improvement, 243–257, 296–309
experiencing attention levels, 231–232, 274–280
fatigue management, 348
Functional Assessment of Verbal Reasoning and Executive Strategies, 193–194
functional performance assessments, 203–220
human information processing, 228–229, 269, 286–287
identifying high- and low-demand tasks, 233
interventions, 220–263
inventory of attention/speed of processing difficulties, 231, 273
La Trobe Communication Questionnaire, 200–201
local resources, 228
memory inefficiency compensation, 237–243, 289–295
Mortera-Cognitive Screening Measure, 203–204, 205–213
motivational interviewing, 223–225
multifactor model of functioning after concussion, 270–271
national resources, 228
occupational therapist evaluation, 179
patient handouts, 264–309
practice tasks for attention strategy rehearsal and transfer, 233, 235–236
promoting patient engagement, awareness, and learning, 223
rehabilitation overview, 221–222
rehabilitation principles, 222–223
Repeatable Battery for the Assessment of Neuropsychological Status, 181–182
Rivermead Behavioral Memory Test, 194–195
social communication, 257–260
speech dysfluencies, 260–263
speech-language pathologist evaluation, 179–180
Speed and Capacity of Language Processing, 188–190
speed of processing difficulties, 230–231, 273, 286–287
Test of Everyday Attention, 186–188
Woodcock-Johnson III Tests of Cognitive Abilities, 184–186
Cognitive assistive technology, 355
Cognitive-Linguistic Quick Test, 183–184
College. *See* Return to school
College of Optometrists in Vision Development
 Quality of Life Assessment, 6

Quality of Life Outcomes, 100–101
 Combat scenario training, 377, 379
 Combat simulation, 380–381
 Communication
 assessment of, 196–202, 218–220, 258
 The Awareness of Social Inference Test, 198–200
 Boston Naming Test, 196–197
 deficits in, 258
 Discourse Comprehension Test, 201–202
 Functional Assessment of Communication Skills for Adults, 218–220
 interventions, 259–260
 La Trobe Communication Questionnaire, 200–201
 overview, 257–258
 Compensatory cognitive strategies, 225
 Computer/Electronic Accommodations Program, 374
 Computerized dynamic posturography, 13, 66–69
 Concussion/mild traumatic brain injury. *See also* Traumatic brain injury
 postconcussion syndrome, 450–451
 rehabilitation after, 4–7
 understanding multifactor model of functioning after concussions, 270–271
 Conditioning program
 for balance retraining following vestibular deficits, 39, 87–88
 Confrontation field test, 116–118
 Contextual Memory Test, 196
 Convergence, impaired, 130, 131–133
 COPM. *See* Canadian Occupational Performance Measure
 Core cognitive strategies
 recommendations grid, 225–227, 265
 working log, 225–227, 266
 Cornell note method, 371
 COVID. *See* College of Optometrists in Vision Development
 CRM. *See* Canalith repositioning maneuvers

D

DA-6. *See* Duty Roster Activity form
 Daily organizers
 as memory aids, 355
 Dartmouth College, 372
 DAS. *See* Dyadic Adjustment Scale
 DCoE. *See* Defense Centers of Excellence for Psychological Health and Traumatic Brain Injury
 DCT. *See* Discourse Comprehension Test
 Declarative memory, 237
 Defense and Veterans Brain Injury Center, 228, 295
 Defense Centers of Excellence for Psychological Health and Traumatic Brain Injury
 Co-Occurring Conditions Toolkit, 241
 expert panel, 178
 Summary Fact Sheets, 228
 DEM. *See* Developmental Eye Movement test
 Department of Defense Evidence-Based Guideline: Evaluation and Management of Concussion/mTBI, 228
 Department of Veterans Affairs, 228, 241
 Developmental Eye Movement test, 110–112
 Developmental stuttering, 262
 DGI. *See* Dynamic Gait Index
 DHI. *See* Dizziness handicap inventory
 Digit span testing, 325
 Diplopia, 133–134
 Disabilities
 Americans With Disabilities Act Amendments Act of 2008, 373–374
 Discourse Comprehension Test, 201–202
 Distance visual acuity testing, 104

Divided attention, 234, 272, 280
 Dix-Hallpike maneuver, 15–17
 Dizziness
 assessment of, 10
 exercise-induced dizziness treatment, 37–39
 Dizziness Handicap Inventory, 25–26
 Double vision, 133–134
 Dress uniform errors, 387
 Dual-task performance
 assessment of, 322–328
 digit span testing, 325
 dual-task costs, 323–327
 dual-task questionnaire, 327–328, 329
 interventions, 328–332
 minimal detectable change, 323–324
 secondary tasks, 330
 tandem walk with cognitive task, 326–327
 Timed Up and Go Test, 323
 varying instructional set, 331
 Walking and Remembering Test, 323, 325–326
 Duty, return to. *See* Return to duty
 Duty Roster Activity form, 386, 442–445
 Dyadic Adjustment Scale, 356, 359, 362
 Dynamic balance, 46
 Dynamic functional task observation, 101–104
 Dynamic Functional Task Observation Checklist, 204, 214–218
 Dynamic Gait Index, 79
 Dynamic Visual Acuity Test, 13, 19–20
 Dynamic visual scanning, 384–385, 441
 Dynavision 2000 Light Training Board, 140–141
 Dysexecutive syndrome, behavior assessment of, 191–193

E

Eagle First Responder skills, 376–377
 Educational information
 cognition deficits, 227–228
 resources, 228
 EFR. *See* Eagle First Responder skills
 Egress Assistance Trainer, 377
 Elaboration reading strategies, 370–371
 Electronic memory aids, 239–241, 355, 415
 Electronystagmography, 12
 Emergency medical cards, 351
 Emergent awareness, 264
 Emotional self-management, 245–246, 299–300
 Epley maneuver, 30–32
 Epworth Sleepiness Scale, 341–342
 Esophoria, 108
 ESS. *See* Epworth Sleepiness Scale
 Executive function assessments
 Behavior Assessment of Dysexecutive Syndrome, 191–193
 Behavior Rating Inventory of Executive Function-Adult, 190–191
 Functional Assessment of Verbal Reasoning and Executive Strategies, 193–194
 Executive functions
 building habits and routines, 248–249, 250, 303
 emotional self-management, 245–246, 299–300
 generative thinking strategies, 249, 304
 improvement of, 243–257, 299–309
 initiation improvement, 247–248, 302
 menu of strategies to manage inefficiencies, 252–253
 pausing strategies, 247, 301
 practice tasks for strategy rehearsal and transfer, 253–257
 prioritization strategy, 252, 309
 problem identification, 298
 problem solving, 244, 246, 251–252, 307–308

project planning strategy, 251, 305–306
rating executive function skills, 297
self-regulation, 246, 247, 301
treating executive dysfunction, 244–245
understanding executive functions, 246, 296
Exercise-induced dizziness, 37–39
Exercise log, 453–454
Exertional testing protocol, 11
Exophoria, 108
Expectations, unrealistic
 academic performance and, 369
Eye Alignment Test, 108–110

F

Face sheet, 2
FACS, Functional Assessment of Communication Skills for Adults
Family. *See* Children; Spouses
Fatigue
 academic performance and, 369
 assessment of, 341–342
 interventions, 344–345
 management of, 347–348, 393–397
 patient handouts, 393–397
Fatigue Severity Scale, 342
FAVRES. *See* Functional Assessment of Verbal Reasoning and Executive Strategies
FCMs. *See* Functional Communication Measures
First aid performance, 384, 439–440
Fitness. *See* Physical fitness
Fitness program
 for balance retraining following vestibular deficits, 39, 87–88
Five Times Sit-To-Stand Test, 84–85
Focused attention, 234, 272, 274–275
Fort Campbell, Kentucky, 376
Foundations of Clinical Research: Applications to Practice, 3
Friendships
 reengaging with, 356, 362–364
Frustration tolerance, 368–369
FSS. *See* Fatigue Severity Scale
FTSST. *See* Five Times Sit-To-Stand Test
Functional abilities. *See also* Balance deficits
 dynamic assessment of functional performance, 204–218
 Dynamic Functional Task Observation Checklist, 204, 214–218
 Functional Assessment of Communication Skills for Adults, 218–220
 functional gait assessment, 79–81
 higher-level abilities, 86–87
 multifactor model of functioning after concussion, 270–271
 understanding multifactor model of functioning after concussions, 270–271
Functional Assessment of Communication Skills for Adults, 218–220
Functional Assessment of Verbal Reasoning and Executive Strategies, 193–194
Functional Communication Measures, 465
Functional gait assessment, 79–81
Functional task observation, 101–104

G

Gait speed, 77–79
GAS. *See* Goal attainment scaling
Gaze stability, 13, 34–37
Generative thinking, 249, 304
Geriatric Examination Toolkit, 15
Glare management, 139–140

Goal attainment scaling, 466–468
Grid coordinates determination, 383, 437–438

H

Habit building, 248–249, 250, 303
Handouts. *See* Patient handouts
HDI. *See* Headache Disability Inventory
Head impulse test, 12, 20–22
Head-shaking nystagmus test, 22–24
Head thrust test, 20–22
Headache, posttraumatic
 assessment of, 148–155
 Henry Ford Headache Disability Inventory, 149
 interventions, 157
 Neck Disability Index, 155, 160–165
 Numeric Pain Rating Scale, 152–154
 Patient-Specific Functional Scale, 150–152
Headache Disability Inventory, 149
Health-related quality of life
 American Speech-Language-Hearing Association National Outcomes Measurement System, 458, 465
 goal attainment scaling, 466–468
 Mayo-Portland Adaptability Inventory-4, 458, 460–461
 measures of, 458
 Participation Objective, Participation Subjective, 458, 462–463
 36-Item Short-Form Health Survey, 458, 459–460
 World Health Organization Quality of Life—BREF, 458, 463–464
HEAT. *See* High-Mobility Multipurpose Wheeled Vehicle Egress Assistance Trainer
Henry Ford Headache Disability Inventory, 149
Heterophoria, 108
High-level mobility assessment tool, 69–73
High-level mobility assessment tool, revised, 74–76
High-Mobility Multipurpose Wheeled Vehicle Egress Assistance Trainer, 377
HiMAT. *See* High-level mobility assessment tool
HMMWV. *See* High-Mobility Multipurpose Wheeled Vehicle Egress Assistance Trainer
Horizontal canal benign paroxysmal positional vertigo, 32, 33
Household roles, 365–366, 426
HSN. *See* Head-shaking nystagmus test
Human information processing. *See also* Attention
 AAA Self-Reflection, 225, 267–268, 288
 explaining, 228–229
 speed of processing difficulties, 230–233, 273, 286–288
 understanding, 269
Hyperphoria, 108
Hypervigilance, 368

I

IAT. *See* Illinois Agility Test
ICF. *See* International Classification of Functioning, Disability, and Health
IEDs. *See* Improvised explosive devices
Illinois Agility Test, 81–83
Improvised explosive devices, 377, 379
Inattention, visual, 136–139
Infants. *See* Children
Information processing. *See* Human information processing
Information processing speed assessments, 188–190
Initiation deficits, 247–248, 302
Intellectual awareness, 264
International Classification of Functioning, Disability, and Health, 2, 458
Interventions. *See* Therapeutic interventions

Irritability, 368–369

Isolation reading strategies, 370

J

Jaw Functional Limitation Scale, 169–170

JFLS. *See* Jaw Functional Limitation Scale

L

La Trobe Communication Questionnaire, 200–201

Laboratory testing, 11–13

Land navigation review, 379–380

Language pathology. *See* Speech-language pathology

Language processing, speed and capacity of, 188–190

Lateral canal benign paroxysmal positional vertigo, 32

LCQ. *See* La Trobe Communication Questionnaire

Light training board, 140–141

Linguistic abilities. *See also* Cognition deficits

 broad assessment of, 184–186

 Cognitive-Linguistic Quick Test, 183–184

Long-term memory, 237, 269

M

MAD. *See* Migraine-associated dizziness

Mail organization, 353, 401

Making Positive Connections AppReviews, 240

Mayo-Portland Adaptability Inventory-4, 458, 460–461

MCT. *See* Motor Control Test

mCTSIB. *See* Modified Clinical Test of Sensory Interaction on Balance

MDC. *See* Minimal detectable change

MDICs. *See* Minimal clinically important differences

Medical Outcomes Study 36-Item Short-Form Health Survey, 458, 459–460

Medical skills training, 379

Medication management

 academic performance and, 369

 assessment of, 344

 daily checklists, 351, 352

 emergency cards, 351

 intervention, 345–346

 intervention planning, 349–350

 medication list, 345, 350, 400

 medication schedule, 346, 350, 400

 memory aids, 351–352

 overview, 342, 344

 patient handout, 392

 performance observation, 343

Medline Plus, 171

Memory

 types of, 237

 understanding human information processing, 269

Memory assessments

 Contextual Memory Test, 196

 Rivermead Behavioral Memory Test, 194–195

Memory deficits

 compensating for, 237–243, 289–295

 daily and weekly planning, 292–293

 electronic memory aids, 239–241, 355

 improving memory, 295

 intentional reading, 294

 internal and external compensatory strategies, 289–291

 interventions, 238–239

 learning objectives of memory aid training, 240

 medication management, 351–352

 mobile applications as aids, 239–241

 organization aids, 239–241

 practice tasks for strategy rehearsal and transfer, 241–243

 Smartphones as aids, 239–241, 355

 training hierarchy for memory strategies, 239

Michigan TBI Services and Prevention Council, 228

Migraine-associated dizziness, 29

Mild traumatic brain injury. *See* Traumatic brain injury

Military maps

 grid coordinates determination, 383, 437–438

 topographical symbols, 382, 435–436

Mini-Balance Evaluation Systems Test, 65–66

Minimal clinically important differences, 3

Minimal detectable change, 3, 323–324, 338

Mission-oriented protective posture suit, 377

Mobile applications

 as memory aids, 239–241

Modified Clinical Test of Sensory Interaction on Balance, 61–63

Money management, 346–347, 353–355, 408–415

MOPP. *See* Mission-oriented protective posture suit

Mortera-Cognitive Screening Measure, 203–204, 205–213

Motion sensitivity

 assessment of, 26–28, 37

 treatment of, 37–39

Motion sensitivity quotient test, 26–28, 37

Motivational interviewing, 223–225

Motor Control Test, 13, 67–69

Motor deficits. *See* Dual-task performance

MPAI-4. *See* Mayo-Portland Adaptability Inventory-4

MSQ Test. *See* Motion Sensitivity Quotient Test

mTBI Pocket Guide, 241

N

National Center for PTSD, 228, 241

National Center for Telehealth and Technology, 240–241

National Institute of Dental Craniofacial Research, 171

National Outcomes Measurement System, 458, 465

NDI. *See* Neck Disability Index

Near point of convergence, 107–108

Neck Disability Index, 155, 160–165

Neglect, visual, 136–139

Neuro Vision Technology Scanning Device, 142

Neurobehavioral Cognitive Status Examination, 180–181

NeuroCom, 66

Neurogenic stuttering, 261, 262–263

Neurovision Rehabilitator, 142–143

NOMS. *See* National Outcomes Measurement System

Nondeclarative memory, 237

Northeastern State University College of Optometry Oculomotor Test, 112–116

Note taking, 371–372, 432–433

NPC. *See* Near point of convergence

NPRS. *See* Numeric Pain Rating Scale

NSUCO Oculomotor Test. *See* Northeastern State University College of Optometry Oculomotor Test

Numeric Pain Rating Scale, 152–154

Nystagmus, 14

O

Occupational self-assessment, 339–341

Occupational therapy. *See also* Speech-language pathology; Therapeutic interventions

 cognition evaluation, 179

 fatigue management, 347

 general process for delivering services, 3

 general schema for, 5–6

 return to duty grading sheet, 378–379

Oculomotor Test, Northeastern State University College of Optometry, 112–116

Oculomotor therapy, 121
Office of the Surgeon General, 228
One-legged timed balance tests, 52
Organization aids, 239–241
Organization reading strategies, 370
OSA. *See* Occupational Self-Assessment
Oscillopsia, 35
Oswestry Index, 160

P

Pacing strategies, 398–399
Parent role
 reengaging with children, 356, 362–365
Participation assessment
 American Speech-Language-Hearing Association National Outcomes Measurement System, 458, 465
 goal attainment scaling, 466–468
 Mayo-Portland Adaptability Inventory-4, 458, 460–461
 measures of, 458
 Participation Objective, Participation Subjective, 458, 462–463
 36-Item Short-Form Health Survey, 458, 459–460
 World Health Organization Quality of Life–BREF, 458, 463–464
Participation Objective, Participation Subjective, 458, 462–463
Patching, 132, 134
Patient handouts
 AAA Self-Reflection, 267–268
 Bill Paying, 407
 Budget Planning Worksheet, 403–404
 Budget Tracking Worksheet, 405–406
 Building Habits and Routines, 303
 Change Begins With Awareness, 264
 Cognition Deficits, 264–309
 Compensatory Memory Strategies—Internal and External Options, 289–291
 Coping With Slower Speed of Processing—Using the Auditory System, 286
 Coping With Slower Speed of Processing—Using the Visual System, 287
 Core Cognitive Strategy Recommendations Grid, 265
 Core Cognitive Strategy Recommendations Working Log, 266
 DA-6/Duty Roster Activity, 442–445
 Daily and Weekly Planning, 292–293
 Determine Grid Coordinates of a Point on a Military Map, 437–438
 Dividing Up Roles with Your Spouse, 427–428
 Emotional Self—Management Worksheet, 299–300
 Establishing a Budget, 402
 Experiencing Attention Levels—Alternating and Divided, 280
 Experiencing Attention Levels—Focused and Sustained, 274–275
 Experiencing Attention Levels—Selective Attention (Visual and Auditory), 276–279
 Fatigue Management—Factor and Strategy Awareness, 393–395
 Generative Thinking Strategies, 304
 Inventory of Attention/Speed-of-Processing Difficulties, 273
 Job-Specific Tactical Simulation 1—Dynamic Visual Scanning Activity, 441
 Job-Specific Tactical Simulation 2—Target Detection on Visual Scanning Activity, 441
 Medication Management Self-Report Questionnaire, 392
 Medication Schedule, 400
 Medication Summary, 400
 Memory Strategy—Intentional Reading, 294
 Money Management, 408–414
 Note-Taking Strategies, 432–433
 Organizing the Mail, 401
 Pacing, 398–399
 Perform First Aid for Bleeding of an Extremity, 439–440
 Problem-Solving Process, 307–308
 Project Planning Strategy—Divide and Conquer, 305–306
 Rating Your Executive Function Skills, 297
 Reconnecting With Your Spouse or Significant Other, 424–425
 Reengaging in Household Roles and Activities, 426
 Return to Duty, 435–448
 Return to School, 429–434
 Return to School Needs Assessment—Essential Skills for College Success, 429–430
 Self-management, 392–415
 Social Roles, 416–428
 Strategies for Problem Identification, 298
 Strategies to Improve Attention—Identifying Your High- and Low-Demand Tasks, 281–283
 Strategies to Improve Attention—Managing Interruptions and Multiple Tasks, 285
 Strategies to Improve Attention—Modifying Your Approach and Workspace, 284
 Strategies to Improve Initiation, 302
 Strategies to Improve Self-Regulation—Pausing, 301
 Strategy-Prioritization, 309
 Study-Reading Systems, 431
 Taking Breaks, 396–397
 Ten Ways to Improve Your Memory, 295
 Test-Taking Strategies, 434
 Topographical Symbols on a Military Map, 435–436
 Understanding Executive Functions, 296
 Understanding Hierarchy of Attention Levels, 272
 Understanding Human Information Processing, 269
 Understanding the Environment of Play and the Role of Cooperation in Child-Related Activities, 422–423
 Understanding the Multifactor Model of Functioning After Concussions, 270–271
 Understanding the Structure of Play and Parent-Child Activities, 420–421
 Understanding Your Child’s World—Infant (0–1 Year Old), 416–417
 Understanding Your Child’s World—Toddler (1–3 Years Old), 418–419
 Using a Smartphone or Planner to Manage Money, 415
Patient-Specific Functional Scale, 150–152
Pausing strategies, 247, 301
PCS. *See* Postconcussion syndrome
Penn State University Center for Academic Achievement, 372
Perception time, 13
Phonetic alphabet, 327
Phoria, 108
Photophobia management, 139–140
Physical fitness
 components of training, 452
 exercise log, 453–454
 postconcussion syndrome, 450–451
 program for balance retraining following vestibular deficits, 39, 87–88
 return to sport, 450
 warfighter fitness, 451–454
Physical symptoms
 academic performance and, 369
Physical therapy. *See also* Therapeutic interventions
 clinical examination, 11
 general process for delivering services, 3
 general schema for, 5
Planners
 as memory aids, 355

as money management aids, 415
 POPS. *See* Participation Objective, Participation Subjective
 Positional test, 12
 Positional vertigo, 14
 Postconcussion syndrome, 450–451
 Posterior canal benign paroxysmal positional vertigo, 30–32
 Posttraumatic headache
 assessment of, 148–155
 Henry Ford Headache Disability Inventory, 149
 interventions, 157
 Neck Disability Index, 155, 160–165
 Numeric Pain Rating Scale, 152–154
 Patient-Specific Functional Scale, 150–152
 Postural stability exercise program, 38–39
 Posturography, computerized dynamic, 66–69
 Practice options
 defined, 4
 Practice standards
 defined, 4
 Prereading exercises, 142
 Princeton University
 The McGraw Center for Teaching & Learning, 372
 Prioritization strategy, 252, 309
 Problem identification, 298
 Problem solving, 244, 246, 251–252, 307–308
 Progressive lenses
 segments in, 98
 Project planning strategy, 251, 305–306
 Prospective memory, 237
 PSFS. *See* Patient-Specific Functional Scale
 Psychogenic stuttering, 261–263
 PTH. *See* Posttraumatic headache
 PTSD Coach, 241
 Pursuits
 interventions for, 125–127, 129
 Northeastern State University College of Optometry Oculomotor Test, 112–116

Q

Quality of life. *See* Health-related quality of life
 Quality of Life Assessment, 6
 Quality of Life Outcomes, 100–101

R

RBANS. *See* Repeatable Battery for the Assessment of Neuropsychological Status
 RBMT. *See* Rivermead Behavioral Memory Test
 Reading strategies, 370–371, 431
 Rehabilitation. *See also* Therapeutic interventions
 after concussion/mild traumatic brain injury, 4–7
 cognitive rehabilitation overview, 221–222
 cognitive rehabilitation principles, 222–223
 for unilateral vestibular dysfunction, 32–37
 Rehabilitation and Reintegration Division, 228
Rehabilitation Research Principles and Applications, 3
 Relaxation techniques, 347
 Reliability
 defined, 3
 Repeatable Battery for the Assessment of Neuropsychological Status, 181–182
 Retrospective memory, 237
 Return to duty
 combat scenario training, 377, 379
 combat simulation, 380–381
 determining grid coordinates of a point on a military map, 383, 437–438

dress uniform error detection, 387
 drill and ceremony review, 377
 Duty Roster Activity, 386, 442–445
 dynamic visual scanning activity, 384–385, 441
 Eagle First Responder skills, 376–377
 interventions, 375–376
 job-specific tactical simulations, 384–385, 441
 judgmental shooting scenarios, 380
 land navigation review, 379–380
 medical skills training for care under fire scenario, 379
 occupational therapy grading sheet, 378–379
 patient handouts, 435–448
 performance validation program, 376–381
 performing first aid for bleeding extremity, 384, 439–440
 performing work roles, 375–376
 physical tasks, 377
 rollover training, 377
 target detection visual scanning activity, 385, 441
 topographical symbols on a military map performance measures, 382, 435–436
 training schedule, 386–387
 zero and qualify weapon, 377
 Return-to-Duty Performance Validation Program, 376–381
 Return to school
 accommodations for students with cognitive disabilities, 373–374
 interventions, 367
 needs assessment, 368, 429–430
 note taking, 371–372, 432–433
 overview, 366–367
 patient handouts, 429–434
 postdeployment symptoms influencing academic performance, 368–369
 reading strategies, 370–371, 431
 studying strategies, 431
 test-taking strategies, 372–373, 434
 Revised High-Level Mobility Assessment tool, 74–76
 Rivermead Behavioral Memory Test, 194–195
 RMDQ. *See* Roland Morris Disability Questionnaire
 Roland Morris Disability Questionnaire, 150, 152
 Roll test, 17–18
 Rollover training, 377
 Romberg test, 52–54
 Rotary chair test, 12
 Routine building, 248–249, 250, 303

S

Saccades
 Developmental Eye Movement test, 110–112
 interventions for, 127–128, 129
 Northeastern State University College of Optometry Oculomotor Test, 112–116
 School, return to. *See* Return to school
 SCOLP. *See* Speed and Capacity of Language Processing
 Selective attention, 234, 272, 276–279
 Self-awareness, 348
 Self-management
 bill paying, 346–347, 354–355, 401, 407–414
 budget establishment, 353–354, 402–406
 Canadian Occupational Performance Measure, 337–339
 emotional, 245–246, 299–300
 fatigue issues, 341–342, 344–345, 347–348, 393–397
 mail organization, 353, 401
 medication management, 342–344, 345–346, 349–352, 392, 400
 money management, 346–347, 353–355, 408–415
 Occupational Self-Assessment, 339–341
 patient handouts, 392–415

sleep issues, 341–342, 344–345
for temporomandibular dysfunction, 172
Self-reflection, 225, 267–268, 348
Self-regulation, 246, 247, 301
Sensitivity
 defined, 3
Sensory Interaction on Balance, Modified Clinical, 61–63
Sensory organization test, 13, 66–69
SF-36. *See* Medical Outcomes Study 36-Item Short-Form Health Survey
Sharpened Romberg test, 52–54
Short-term memory, 237, 269
Single-Limb Stance Test, 50–52
Sister Kenny Dynamic Functional Task Observation Checklist, 102–103, 204, 214–218
Sleep issues, 341–342, 344–345, 369, 393–394
SLP. *See* Speech-language pathology
SLS test. *See* Single-Limb Stance Test
Smartphones
 as memory aids, 239–241, 355
 as money management aid, 415
Social communication
 assessment of, 196–202, 218–220, 258
 The Awareness of Social Inference Test, 198–200
 Boston Naming Test, 196–197
 deficits in, 258
 Discourse Comprehension Test, 201–202
 Functional Assessment of Communication Skills for Adults, 218–220
 interventions, 259–260
 La Trobe Communication Questionnaire, 200–201
 overview, 257–258
Social roles
 Activity Co-Engagement Self-Assessment, 356, 357, 359, 360–362
 Assessment of Communication and Interaction Skills, 356–357, 358
 Canadian Occupational Performance Measure, 356
 Dyadic Adjustment Scale, 356, 359, 362
 patient handouts, 416–428
 reengaging with spouses, children, and friends, 356, 362–366, 416–428
SOT. *See* Sensory Organization Test
Specificity
 defined, 3
Speech dysfluencies, 260–263
Speech-language pathology. *See also* Occupational therapy
 cognition evaluation, 179–180
 general process for delivering services, 3
 general schema for delivering services, 6–7
Speed and Capacity of Language Processing, 188–190
Sports
 return to, 450
Spouses
 household roles and activities, 426–428
 reengaging with, 356, 362–366, 424–425
SQ4R system, 431
Stanford University Office of Accessible Education, 372
Stereo Randot Test, 118–119
Stereopsis
 Stereo Randot Test, 118–119
Stress
 academic performance and, 369
 stress-reduction activities, 395
Studying strategies, 431
Stuttering, acquired, 260–263
Sustained attention, 234, 272, 274–275

T

T2 Mood Tracker, 241
Tactical Breather, 241
Tandem Romberg test, 54
Target acquisition, 13
Target detection visual scanning, 385, 441
Target tracking, 13
TASIT. *See* The Awareness of Social Inference Test
TEA. *See* Test of Everyday Attention
Temporomandibular dysfunction
 assessment of, 168–170
 interventions, 171–172
 Jaw Functional Limitation Scale, 169–170
 joint protection, 172
 self-care, 172
Test of Everyday Attention, 186–188
Test-taking strategies, 372–373, 434
The Awareness of Social Inference Test, 198–200
The Journey Home, 228
The McGraw Center for Teaching & Learning, 372
The Soldier's Manual of Common Tasks, 383
Therapeutic interventions. *See also* Occupational therapy; Physical therapy
 balance deficits, 85–88
 canalith repositioning maneuvers, 30–32
 cognition, 220–263
 cognition deficits, 220–263
 dual-task performance, 328–332
 higher-level abilities, 86–87
 posttraumatic headache, 157
 practice standards, 4
 temporomandibular dysfunction, 171–172
 vestibular deficits, 29–39
 vision deficits, 120–143
Thinking strategies, 249
36-Item Short-Form Health Survey, 458, 459–460
Timed Up and Go Test, 323
TMD. *See* Temporomandibular dysfunction
Toddlers. *See* Children
Topographical symbols, 382, 435–436
Traumatic brain injury
 after blast exposure, 11, 14
 assessments, 2–4
 balance assessment, 46–85
 balance intervention, 85–88
 ceiling effect, 46
 cognition assessment, 178–220
 cognition deficit interventions, 220–309
 dual-task intervention, 328–332
 dual-task performance assessments, 322–328
 health-related quality of life, 458–468
 participation assessment, 458–468
 physical fitness, 449–454
 posttraumatic headache assessment, 148–155
 posttraumatic headache intervention, 157
 rehabilitation after, 4–7
 return to duty, 375–387, 435–448
 return to school, 366–374, 429–434
 self-management, 337–355, 392–415
 social roles, 356–366, 416–428
 temporomandibular dysfunction assessment, 168–170
 temporomandibular dysfunction intervention, 171–172
 therapeutic interventions, 4
 vestibular assessment, 10–29
 vestibular intervention, 29–39
 vision assessment, 98–120

vision intervention, 120–143
 TUG Test. *See* Timed Up and Go Test
 Tutorial Assistance Program, 374

U

Unilateral vestibular dysfunction
 rehabilitation for, 32–37
 Unilateral vestibular hypofunction or loss, 29
 Unipedal stance normative values, 51
 Universities. *See* Return to school
 University of Missouri, 15
 Unrealistic expectations
 academic performance and, 369
 US Army Uniform Guide, 387
 UVH/L. *See* Unilateral vestibular hypofunction or loss

V

VADL Scale. *See* Vestibular Disorders Activities of Daily Living Scale
 Vernon, Howard, 160
 Vertigo. *See also* Benign paroxysmal positional vertigo
 assessment of, 14
 Vestibular deficits
 after blast exposure, 11, 14
 assessment of, 10–29
 clinical examination, 11
 clinical testing, 11–13
 dizziness and, 10
 exercise-induced dizziness, 37–39
 fitness and conditioning program, 39, 87–88
 interventions, 29–39
 laboratory testing, 11–13
 motion sensitivity, 37–39
 nystagmus and, 14
 plan of care, 11
 unilateral vestibular dysfunction rehabilitation, 32–37
 vertigo and, 14
 Vestibular Disorders Activities of Daily Living Scale, 28–29
 Vestibular ocular reflex, 29
Vestibular Rehabilitation, Third Edition, 10
 Vestibular Special Interest Group, 15
 Veterans Affairs Post 9-11 GI Bill, 374
 Virtual combat convoy trainer, 377, 379
 Vision deficits
 accommodative amplitude test, 105–106
 assessment of, 98–120
 Brain Injury Visual Assessment Battery for Adults, 119–120
 College of Optometrists in Vision Development Quality of Life Outcomes, 100–101
 compensatory approaches, 121
 components of vision screen, 99
 confrontation field test, 116–118
 Developmental Eye Movement test, 110–112
 diplopia, 133–134
 distance visual acuity testing, 104
 dynamic functional task observation, 101–104
 Dynavision 2000 Light Training Board, 140–141
 Eye Alignment Test, 108–110
 general instructions for treating, 121
 glare management, 139–140
 grading tasks, activity analysis, 121–122
 impaired accommodation, 128–130
 impaired convergence, 130, 131–133
 impaired pursuits, 125–127, 129
 impaired saccades, 127–128, 129
 interventions, 120–143

near point of convergence, 107–108
 Neuro Vision Technology Scanning Device, 142
 Neurovision Rehabilitator, 142–143
 Northeastern State University College of Optometry Oculomotor Test, 112–116
 oculomotor therapy, 121
 photophobia management, 139–140
 poor acuity, 123–125
 prereading exercises, 142
 Stereo Randot Test, 118–119
 supplementary therapeutic activity options, 140–143
 visual field loss, 135–136
 visual neglect and inattention, 136–139
 writing exercises, 142
 Visual Acuity Test, Dynamic, 13, 19–20
 Visual acuity testing, distance, 104
 Visual Analog Scale, 152
 Visual Assessment Battery for Adults, 119–120
 Visual attention, 276–279, 287
 Visual field
 confrontation field test, 116–118
 visual field loss, 135–136
 Visual scanning, dynamic, 384–385, 441
 Visual scanning, target detection, 385, 441
 Visual scanning activities, 384–385
 VOR. *See* Vestibular ocular reflex

W

Walking and Remembering Test, 323, 325–326
 Warfighter fitness, 451–454
 Weapons skills, 377
 Whiplash-associated disorder, 155, 160–165
 WHOQOL-BREF. *See* World Health Organization Quality of Life–BREF
 WJ III COG. *See* Woodcock-Johnson III Tests of Cognitive Abilities
 Woodcock-Johnson III Tests of Cognitive Abilities, 184–186
 Work roles, 375–376
 Working memory, 237, 269
 World Health Organization Quality of Life–BREF, 458, 463–464
 Worry
 academic performance and, 369
 Writing exercises, 142

