

## INDEX

## A

AAA Self-Reflection  
 for attention and speed of processing, 288  
 cognition deficits and, 225, 267–268

Abbreviations, xv–xvi

ABC Scale. *See* Activities-Specific Balance Confidence Scale

Academic Skills Center, 372

Accommodation, impaired, 128–130

ACeS. *See* Activity Co-Engagement Self-Assessment

ACIS. *See* Assessment of Communication and Interaction Skills

Acquired stuttering, 260–263

Acronyms, xv–xvi

Activities of daily living  
 attention-strategy practice tasks, 236  
 memory strategy practice tasks, 241

Activities of Daily Living Scale, Vestibular Disorders, 28–29

Activities-Specific Balance Confidence Scale, 46–50

Activity Co-Engagement Self-Assessment, 356, 357, 359, 360–362

Acuity deficits, 123–125

ADAAA. *See* Americans With Disabilities Act Amendments Act of 2008

ADLs. *See* Activities of daily living

Adult-onset stuttering, 261, 262

Alphabet, phonetic, 327

Alternating attention, 234, 272, 280

American Physical Therapy Association, 15

American Speech Language and Hearing Association  
 Functional Assessment of Communication Skills for Adults,  
 218–220  
 National Outcomes Measurement System, 458, 465

American Veterans With Brain Injury, 228

Americans With Disabilities Act Amendments Act of 2008, 373–374

Anomia, 260

Anticipatory awareness, 264

Anxiety  
 academic performance and, 369

Army Regulation 670-671, 387

Army Service Uniform, 387

ASHA. *See* American Speech Language and Hearing Association

Assessment of Communication and Interaction Skills, 356–357, 358

Assessment tools  
 Activities-Specific Balance Confidence Scale, 46–50  
 administering, 4  
 balance deficits, 46–85  
 Balance Error Scoring System, 55–61  
 Balance Evaluation Systems Test, 64  
 cognition, 178–220  
 Dix-Hallpike maneuver, 15–17  
 dizziness handicap inventory, 25–26  
 dual-task performance, 322–328  
 Dynamic Visual Acuity Test, 19–20  
 face sheet, 2  
 head impulse test, 20–22  
 head-shaking nystagmus test, 22–24  
 interpreting, 4  
 measurement of test validity, 3  
 Mini-Balance Evaluation Systems Test, 65–66  
 minimal detectable change, 3  
 Modified Clinical Test of Sensory Interaction on Balance, 61–63  
 Motion Sensitivity Quotient Test, 26–28  
 posttraumatic headache, 148–155  
 reliability of, 3

responsiveness to change, 3–4  
 roll test, 17–18  
 Romberg test, 52–54  
 sensitivity and specificity of, 3  
 Sharpened Romberg test, 52–54  
 Single-Limb Stance Test, 50–52  
 temporomandibular dysfunction, 168–170  
 vestibular deficits, 10–29  
 Vestibular Disorders Activities of Daily Living Scale, 28–29  
 vision deficits, 98–120

Assistive technology aids, 372

Association on Higher Education and Disabilities, 373

Attention. *See also* Human information processing  
 AAA Self-Reflection, 225, 267–268, 288  
 alternating, 234, 272, 280  
 auditory, 276–279, 286  
 divided, 234, 272, 280  
 experiencing attention levels, 231–232  
 focused, 234, 272, 274–275  
 hierarchy of attention levels, 234, 272  
 identifying high- and low-demand tasks, 233, 281–283  
 improving, 230, 233, 281–285, 288  
 inventory of difficulties, 273  
 managing interruptions and multiple tasks, 285  
 menu of strategies based on attention hierarchy, 233, 234  
 modifying approach and workspace, 284  
 practice tasks for attention strategy rehearsal and transfer, 233,  
 235–236  
 selective, 234, 272, 276–279  
 strategies based on patients' vulnerabilities associated with  
 levels of attention, 234  
 strategies to cope with difficulties, 232–233, 281–285  
 sustained, 234, 272, 274–275  
 Test of Everyday Attention, 186–188  
 visual, 276–279, 287

Auditory attention, 276–279, 286

Awareness  
 Change Begins With Awareness, 264  
 promotion of, 223  
 self-awareness, 348  
 types of, 264

## B

BADS. *See* Behavior Assessment of Dysexecutive Syndrome

Balance deficits  
 Activities-Specific Balance Confidence Scale, 46–50  
 assessment of, 46–85  
 Balance Error Scoring System, 55–61  
 Balance Evaluation Systems Test, 64  
 computerized dynamic posturography, 66–69  
 dynamic balance, 46  
 fitness and conditioning program following vestibular dysfunction, 39, 87–88  
 Five Times Sit-To-Stand Test, 84–85  
 functional gait assessment, 79–81  
 gait speed, 77–79  
 high-level mobility assessment tool, 69–73  
 higher-level abilities, 86–87  
 Illinois Agility Test, 81–83  
 interventions, 85–88  
 Mini-Balance Evaluation Systems Test, 65–66  
 Modified Clinical Test of Sensory Interaction on Balance, 61–63

motor control test, 67–69  
revised high-level mobility assessment tool, 74–76  
Romberg test, 52–54  
Sensory Organization Test, 66–69  
Sharpened Romberg test, 52–54  
Single-Limb Stance Test, 50–52  
Balance Error Scoring System, 55–61  
Balance Evaluation Systems Test, 64  
Balance Manager Dynamic InVision System, 13  
Barbecue roll maneuver, 32  
Behavior Assessment of Dysexecutive Syndrome, 191–193  
Behavior Rating Inventory of Executive Function-Adult, 190–191  
Benign paroxysmal positional vertigo  
  canalith repositioning maneuvers, 30–32  
  horizontal canal canalithiasis, 32, 33  
  posterior canal canalithiasis, 30–32  
BESS. *See* Balance Error Scoring System  
BESTest. *See* Balance Evaluation Systems Test  
Bill paying, 346–347, 354–355, 401, 407–414  
Binocular vision  
  Eye Alignment Test, 108–110  
  Stereo Randot Test, 118–119  
biVABA. *See* Brain Injury Visual Assessment Battery for Adults  
BNT. *See* Boston Naming Test  
Boston Naming Test, 196–197  
BPPV. *See* Benign paroxysmal positional vertigo  
Brain Injury Association, 228  
Brain Injury Visual Assessment Battery for Adults, 119–120  
Breathe2Relax, 241  
BRIEF-A. *See* Behavior Rating Inventory of Executive Function-Adult  
Budget establishment, 353–354, 402–406

## C

c/mTBI. *See* Concussion/mild traumatic brain injury  
California Polytechnic State University, 372  
Canadian Memorial Chiropractic College, 160  
Canadian Occupational Performance Measure, 6, 337–339, 356  
Canalith repositioning maneuvers  
  background, 30  
  for horizontal canal benign paroxysmal positional vertigo, 32, 33  
  intervention, 30  
  for posterior canal benign paroxysmal positional vertigo, 30–32  
  strength of recommendation, 30  
CAT. *See* Cognitive assistive technology  
CDP. *See* Computerized dynamic posturography  
Ceiling effect, 46  
CEMM Traumatic Brain Injury, 228  
Children  
  environment of play, 422–423  
  reengaging with, 356, 362–365  
  role of cooperation in child-related activities, 422–423  
  structure of play and parent-child activities, 420–421  
  understanding infant behavior (0-1 Year Old), 416–417  
  understanding toddler behavior (1-3 Years Old), 418–419  
Clinical Test of Sensory Interaction on Balance, Modified, 61–63  
CLQT. *See* Cognition deficits  
CMT. *See* Contextual Memory Test  
Co-Occurring Conditions Toolkit, electronic version, 241  
*Co-occurring Conditions Toolkit: Mild Traumatic Brain Injury and Psychological Health*, 232  
Cognistat, 180–181  
Cognition deficits. *See also* Dual-task performance  
  AAA Self-Reflection, 225, 267–268, 288  
  acquired stuttering, 260–263

American Speech Language and Hearing Association Functional Assessment of Communication Skills for Adults, 218–220  
assessment of, 178–220  
attention hierarchy, 233, 234, 272  
attention improvement, 230, 233, 281–285  
The Awareness of Social Inference Test, 198–200  
Behavior Assessment of Dysexecutive Syndrome, 191–193  
Behavior Rating Inventory of Executive Function-Adult, 190–191  
Boston Naming Test, 196–197  
brief cognitive assessment, 180–184  
broad assessment of cognitive-linguistic abilities, 184–186  
Cognistat, 180–181  
cognition education, 227–228  
Cognitive-Linguistic Quick Test, 183–184  
college accommodations for students with cognitive disabilities, 373–374  
compensatory cognitive strategy learning, 225  
Contextual Memory Test, 196  
coping with attention/speed of processing difficulties, 232–233  
core cognitive strategy recommendations grid and working log, 225–227, 265–266  
Discourse Comprehension Test, 201–202  
domain-specific assessments, 186–203  
dynamic assessment of functional performance, 204–218  
Dynamic Functional Task Observation Checklist, 204, 214–218  
educational resources, 228  
executive function improvement, 243–257, 296–309  
experiencing attention levels, 231–232, 274–280  
fatigue management, 348  
Functional Assessment of Verbal Reasoning and Executive Strategies, 193–194  
functional performance assessments, 203–220  
human information processing, 228–229, 269, 286–287  
identifying high- and low-demand tasks, 233  
interventions, 220–263  
inventory of attention/speed of processing difficulties, 231, 273  
La Trobe Communication Questionnaire, 200–201  
local resources, 228  
memory inefficiency compensation, 237–243, 289–295  
Mortera-Cognitive Screening Measure, 203–204, 205–213  
motivational interviewing, 223–225  
multifactor model of functioning after concussion, 270–271  
national resources, 228  
occupational therapist evaluation, 179  
patient handouts, 264–309  
practice tasks for attention strategy rehearsal and transfer, 233, 235–236  
promoting patient engagement, awareness, and learning, 223  
rehabilitation overview, 221–222  
rehabilitation principles, 222–223  
Repeatable Battery for the Assessment of Neuropsychological Status, 181–182  
Rivermead Behavioral Memory Test, 194–195  
social communication, 257–260  
speech dysfluencies, 260–263  
speech-language pathologist evaluation, 179–180  
Speed and Capacity of Language Processing, 188–190  
speed of processing difficulties, 230–231, 273, 286–287  
Test of Everyday Attention, 186–188  
Woodcock-Johnson III Tests of Cognitive Abilities, 184–186  
Cognitive assistive technology, 355  
Cognitive-Linguistic Quick Test, 183–184  
College. *See* Return to school  
College of Optometrists in Vision Development  
  Quality of Life Assessment, 6

Quality of Life Outcomes, 100–101  
 Combat scenario training, 377, 379  
 Combat simulation, 380–381  
 Communication  
   assessment of, 196–202, 218–220, 258  
   The Awareness of Social Inference Test, 198–200  
   Boston Naming Test, 196–197  
   deficits in, 258  
   Discourse Comprehension Test, 201–202  
   Functional Assessment of Communication Skills for Adults, 218–220  
   interventions, 259–260  
   La Trobe Communication Questionnaire, 200–201  
   overview, 257–258  
 Compensatory cognitive strategies, 225  
 Computer/Electronic Accommodations Program, 374  
 Computerized dynamic posturography, 13, 66–69  
 Concussion/mild traumatic brain injury. *See also* Traumatic brain injury  
   postconcussion syndrome, 450–451  
   rehabilitation after, 4–7  
   understanding multifactor model of functioning after concussions, 270–271  
 Conditioning program  
   for balance retraining following vestibular deficits, 39, 87–88  
 Confrontation field test, 116–118  
 Contextual Memory Test, 196  
 Convergence, impaired, 130, 131–133  
 COPM. *See* Canadian Occupational Performance Measure  
 Core cognitive strategies  
   recommendations grid, 225–227, 265  
   working log, 225–227, 266  
 Cornell note method, 371  
 COVID. *See* College of Optometrists in Vision Development  
 CRM. *See* Canalith repositioning maneuvers

## D

DA-6. *See* Duty Roster Activity form  
 Daily organizers  
   as memory aids, 355  
 Dartmouth College, 372  
 DAS. *See* Dyadic Adjustment Scale  
 DCoE. *See* Defense Centers of Excellence for Psychological Health and Traumatic Brain Injury  
 DCT. *See* Discourse Comprehension Test  
 Declarative memory, 237  
 Defense and Veterans Brain Injury Center, 228, 295  
 Defense Centers of Excellence for Psychological Health and Traumatic Brain Injury  
   Co-Occurring Conditions Toolkit, 241  
   expert panel, 178  
   Summary Fact Sheets, 228  
 DEM. *See* Developmental Eye Movement test  
 Department of Defense Evidence-Based Guideline: Evaluation and Management of Concussion/mTBI, 228  
 Department of Veterans Affairs, 228, 241  
 Developmental Eye Movement test, 110–112  
 Developmental stuttering, 262  
 DGI. *See* Dynamic Gait Index  
 DHI. *See* Dizziness handicap inventory  
 Digit span testing, 325  
 Diplopia, 133–134  
 Disabilities  
   Americans With Disabilities Act Amendments Act of 2008, 373–374  
 Discourse Comprehension Test, 201–202  
 Distance visual acuity testing, 104

Divided attention, 234, 272, 280  
 Dix-Hallpike maneuver, 15–17  
 Dizziness  
   assessment of, 10  
   exercise-induced dizziness treatment, 37–39  
 Dizziness Handicap Inventory, 25–26  
 Double vision, 133–134  
 Dress uniform errors, 387  
 Dual-task performance  
   assessment of, 322–328  
   digit span testing, 325  
   dual-task costs, 323–327  
   dual-task questionnaire, 327–328, 329  
   interventions, 328–332  
   minimal detectable change, 323–324  
   secondary tasks, 330  
   tandem walk with cognitive task, 326–327  
   Timed Up and Go Test, 323  
   varying instructional set, 331  
   Walking and Remembering Test, 323, 325–326  
 Duty, return to. *See* Return to duty  
 Duty Roster Activity form, 386, 442–445  
 Dyadic Adjustment Scale, 356, 359, 362  
 Dynamic balance, 46  
 Dynamic functional task observation, 101–104  
 Dynamic Functional Task Observation Checklist, 204, 214–218  
 Dynamic Gait Index, 79  
 Dynamic Visual Acuity Test, 13, 19–20  
 Dynamic visual scanning, 384–385, 441  
 Dynavision 2000 Light Training Board, 140–141  
 Dysexecutive syndrome, behavior assessment of, 191–193

## E

Eagle First Responder skills, 376–377  
 Educational information  
   cognition deficits, 227–228  
   resources, 228  
 EFR. *See* Eagle First Responder skills  
 Egress Assistance Trainer, 377  
 Elaboration reading strategies, 370–371  
 Electronic memory aids, 239–241, 355, 415  
 Electronystagmography, 12  
 Emergency medical cards, 351  
 Emergent awareness, 264  
 Emotional self-management, 245–246, 299–300  
 Epley maneuver, 30–32  
 Epworth Sleepiness Scale, 341–342  
 Esophoria, 108  
 ESS. *See* Epworth Sleepiness Scale  
 Executive function assessments  
   Behavior Assessment of Dysexecutive Syndrome, 191–193  
   Behavior Rating Inventory of Executive Function-Adult, 190–191  
   Functional Assessment of Verbal Reasoning and Executive Strategies, 193–194  
 Executive functions  
   building habits and routines, 248–249, 250, 303  
   emotional self-management, 245–246, 299–300  
   generative thinking strategies, 249, 304  
   improvement of, 243–257, 299–309  
   initiation improvement, 247–248, 302  
   menu of strategies to manage inefficiencies, 252–253  
   pausing strategies, 247, 301  
   practice tasks for strategy rehearsal and transfer, 253–257  
   prioritization strategy, 252, 309  
   problem identification, 298  
   problem solving, 244, 246, 251–252, 307–308

project planning strategy, 251, 305–306  
rating executive function skills, 297  
self-regulation, 246, 247, 301  
treating executive dysfunction, 244–245  
understanding executive functions, 246, 296  
Exercise-induced dizziness, 37–39  
Exercise log, 453–454  
Exertional testing protocol, 11  
Exophoria, 108  
Expectations, unrealistic  
  academic performance and, 369  
Eye Alignment Test, 108–110

## F

Face sheet, 2  
FACS, Functional Assessment of Communication Skills for Adults  
Family. *See* Children; Spouses  
Fatigue  
  academic performance and, 369  
  assessment of, 341–342  
  interventions, 344–345  
  management of, 347–348, 393–397  
  patient handouts, 393–397  
Fatigue Severity Scale, 342  
FAVRES. *See* Functional Assessment of Verbal Reasoning and Executive Strategies  
FCMs. *See* Functional Communication Measures  
First aid performance, 384, 439–440  
Fitness. *See* Physical fitness  
Fitness program  
  for balance retraining following vestibular deficits, 39, 87–88  
Five Times Sit-To-Stand Test, 84–85  
Focused attention, 234, 272, 274–275  
Fort Campbell, Kentucky, 376  
*Foundations of Clinical Research: Applications to Practice*, 3  
Friendships  
  reengaging with, 356, 362–364  
Frustration tolerance, 368–369  
FSS. *See* Fatigue Severity Scale  
FTSST. *See* Five Times Sit-To-Stand Test  
Functional abilities. *See also* Balance deficits  
  dynamic assessment of functional performance, 204–218  
  Dynamic Functional Task Observation Checklist, 204, 214–218  
  Functional Assessment of Communication Skills for Adults, 218–220  
  functional gait assessment, 79–81  
  higher-level abilities, 86–87  
  multifactor model of functioning after concussion, 270–271  
  understanding multifactor model of functioning after concussions, 270–271  
Functional Assessment of Communication Skills for Adults, 218–220  
Functional Assessment of Verbal Reasoning and Executive Strategies, 193–194  
Functional Communication Measures, 465  
Functional gait assessment, 79–81  
Functional task observation, 101–104

## G

Gait speed, 77–79  
GAS. *See* Goal attainment scaling  
Gaze stability, 13, 34–37  
Generative thinking, 249, 304  
Geriatric Examination Toolkit, 15  
Glare management, 139–140

Goal attainment scaling, 466–468  
Grid coordinates determination, 383, 437–438

## H

Habit building, 248–249, 250, 303  
Handouts. *See* Patient handouts  
HDI. *See* Headache Disability Inventory  
Head impulse test, 12, 20–22  
Head-shaking nystagmus test, 22–24  
Head thrust test, 20–22  
Headache, posttraumatic  
  assessment of, 148–155  
  Henry Ford Headache Disability Inventory, 149  
  interventions, 157  
  Neck Disability Index, 155, 160–165  
  Numeric Pain Rating Scale, 152–154  
  Patient-Specific Functional Scale, 150–152  
Headache Disability Inventory, 149  
Health-related quality of life  
  American Speech-Language-Hearing Association National Outcomes Measurement System, 458, 465  
  goal attainment scaling, 466–468  
  Mayo-Portland Adaptability Inventory-4, 458, 460–461  
  measures of, 458  
  Participation Objective, Participation Subjective, 458, 462–463  
  36-Item Short-Form Health Survey, 458, 459–460  
  World Health Organization Quality of Life—BREF, 458, 463–464  
HEAT. *See* High-Mobility Multipurpose Wheeled Vehicle Egress Assistance Trainer  
Henry Ford Headache Disability Inventory, 149  
Heterophoria, 108  
High-level mobility assessment tool, 69–73  
High-level mobility assessment tool, revised, 74–76  
High-Mobility Multipurpose Wheeled Vehicle Egress Assistance Trainer, 377  
HiMAT. *See* High-level mobility assessment tool  
HMMWV. *See* High-Mobility Multipurpose Wheeled Vehicle Egress Assistance Trainer  
Horizontal canal benign paroxysmal positional vertigo, 32, 33  
Household roles, 365–366, 426  
HSN. *See* Head-shaking nystagmus test  
Human information processing. *See also* Attention  
  AAA Self-Reflection, 225, 267–268, 288  
  explaining, 228–229  
  speed of processing difficulties, 230–233, 273, 286–288  
  understanding, 269  
Hyperphoria, 108  
Hypervigilance, 368

## I

IAT. *See* Illinois Agility Test  
ICF. *See* International Classification of Functioning, Disability, and Health  
IEDs. *See* Improvised explosive devices  
Illinois Agility Test, 81–83  
Improvised explosive devices, 377, 379  
Inattention, visual, 136–139  
Infants. *See* Children  
Information processing. *See* Human information processing  
Information processing speed assessments, 188–190  
Initiation deficits, 247–248, 302  
Intellectual awareness, 264  
International Classification of Functioning, Disability, and Health, 2, 458  
Interventions. *See* Therapeutic interventions

Irritability, 368–369

Isolation reading strategies, 370

## J

Jaw Functional Limitation Scale, 169–170

JFLS. *See* Jaw Functional Limitation Scale

## L

La Trobe Communication Questionnaire, 200–201

Laboratory testing, 11–13

Land navigation review, 379–380

Language pathology. *See* Speech-language pathology

Language processing, speed and capacity of, 188–190

Lateral canal benign paroxysmal positional vertigo, 32

LCQ. *See* La Trobe Communication Questionnaire

Light training board, 140–141

Linguistic abilities. *See also* Cognition deficits

    broad assessment of, 184–186

    Cognitive-Linguistic Quick Test, 183–184

Long-term memory, 237, 269

## M

MAD. *See* Migraine-associated dizziness

Mail organization, 353, 401

Making Positive Connections AppReviews, 240

Mayo-Portland Adaptability Inventory-4, 458, 460–461

MCT. *See* Motor Control Test

mCTSIB. *See* Modified Clinical Test of Sensory Interaction on Balance

MDC. *See* Minimal detectable change

MDICs. *See* Minimal clinically important differences

Medical Outcomes Study 36-Item Short-Form Health Survey, 458, 459–460

Medical skills training, 379

Medication management

    academic performance and, 369

    assessment of, 344

    daily checklists, 351, 352

    emergency cards, 351

    intervention, 345–346

    intervention planning, 349–350

    medication list, 345, 350, 400

    medication schedule, 346, 350, 400

    memory aids, 351–352

    overview, 342, 344

    patient handout, 392

    performance observation, 343

Medline Plus, 171

Memory

    types of, 237

    understanding human information processing, 269

Memory assessments

    Contextual Memory Test, 196

    Rivermead Behavioral Memory Test, 194–195

Memory deficits

    compensating for, 237–243, 289–295

    daily and weekly planning, 292–293

    electronic memory aids, 239–241, 355

    improving memory, 295

    intentional reading, 294

    internal and external compensatory strategies, 289–291

    interventions, 238–239

    learning objectives of memory aid training, 240

    medication management, 351–352

    mobile applications as aids, 239–241

    organization aids, 239–241

    practice tasks for strategy rehearsal and transfer, 241–243

    Smartphones as aids, 239–241, 355

    training hierarchy for memory strategies, 239

Michigan TBI Services and Prevention Council, 228

Migraine-associated dizziness, 29

Mild traumatic brain injury. *See* Traumatic brain injury

Military maps

    grid coordinates determination, 383, 437–438

    topographical symbols, 382, 435–436

Mini-Balance Evaluation Systems Test, 65–66

Minimal clinically important differences, 3

Minimal detectable change, 3, 323–324, 338

Mission-oriented protective posture suit, 377

Mobile applications

    as memory aids, 239–241

Modified Clinical Test of Sensory Interaction on Balance, 61–63

Money management, 346–347, 353–355, 408–415

MOPP. *See* Mission-oriented protective posture suit

Mortera-Cognitive Screening Measure, 203–204, 205–213

Motion sensitivity

    assessment of, 26–28, 37

    treatment of, 37–39

Motion sensitivity quotient test, 26–28, 37

Motivational interviewing, 223–225

Motor Control Test, 13, 67–69

Motor deficits. *See* Dual-task performance

MPAI-4. *See* Mayo-Portland Adaptability Inventory-4

MSQ Test. *See* Motion Sensitivity Quotient Test

mTBI Pocket Guide, 241

## N

National Center for PTSD, 228, 241

National Center for Telehealth and Technology, 240–241

National Institute of Dental Craniofacial Research, 171

National Outcomes Measurement System, 458, 465

NDI. *See* Neck Disability Index

Near point of convergence, 107–108

Neck Disability Index, 155, 160–165

Neglect, visual, 136–139

Neuro Vision Technology Scanning Device, 142

Neurobehavioral Cognitive Status Examination, 180–181

NeuroCom, 66

Neurogenic stuttering, 261, 262–263

Neurovision Rehabilitator, 142–143

NOMS. *See* National Outcomes Measurement System

Nondeclarative memory, 237

Northeastern State University College of Optometry Oculomotor Test, 112–116

Note taking, 371–372, 432–433

NPC. *See* Near point of convergence

NPRS. *See* Numeric Pain Rating Scale

NSUCO Oculomotor Test. *See* Northeastern State University College of Optometry Oculomotor Test

Numeric Pain Rating Scale, 152–154

Nystagmus, 14

## O

Occupational self-assessment, 339–341

Occupational therapy. *See also* Speech-language pathology; Therapeutic interventions

    cognition evaluation, 179

    fatigue management, 347

    general process for delivering services, 3

    general schema for, 5–6

    return to duty grading sheet, 378–379

Oculomotor Test, Northeastern State University College of Optometry, 112–116

Oculomotor therapy, 121  
Office of the Surgeon General, 228  
One-legged timed balance tests, 52  
Organization aids, 239–241  
Organization reading strategies, 370  
OSA. *See* Occupational Self-Assessment  
Oscillopsia, 35  
Oswestry Index, 160

## P

Pacing strategies, 398–399  
Parent role  
    reengaging with children, 356, 362–365  
Participation assessment  
    American Speech-Language-Hearing Association National Outcomes Measurement System, 458, 465  
    goal attainment scaling, 466–468  
    Mayo-Portland Adaptability Inventory-4, 458, 460–461  
    measures of, 458  
    Participation Objective, Participation Subjective, 458, 462–463  
    36-Item Short-Form Health Survey, 458, 459–460  
    World Health Organization Quality of Life–BREF, 458, 463–464  
Participation Objective, Participation Subjective, 458, 462–463  
Patching, 132, 134  
Patient handouts  
    AAA Self-Reflection, 267–268  
    Bill Paying, 407  
    Budget Planning Worksheet, 403–404  
    Budget Tracking Worksheet, 405–406  
    Building Habits and Routines, 303  
    Change Begins With Awareness, 264  
    Cognition Deficits, 264–309  
    Compensatory Memory Strategies—Internal and External Options, 289–291  
    Coping With Slower Speed of Processing—Using the Auditory System, 286  
    Coping With Slower Speed of Processing—Using the Visual System, 287  
    Core Cognitive Strategy Recommendations Grid, 265  
    Core Cognitive Strategy Recommendations Working Log, 266  
    DA-6/Duty Roster Activity, 442–445  
    Daily and Weekly Planning, 292–293  
    Determine Grid Coordinates of a Point on a Military Map, 437–438  
    Dividing Up Roles with Your Spouse, 427–428  
    Emotional Self—Management Worksheet, 299–300  
    Establishing a Budget, 402  
    Experiencing Attention Levels—Alternating and Divided, 280  
    Experiencing Attention Levels—Focused and Sustained, 274–275  
    Experiencing Attention Levels—Selective Attention (Visual and Auditory), 276–279  
    Fatigue Management—Factor and Strategy Awareness, 393–395  
    Generative Thinking Strategies, 304  
    Inventory of Attention/Speed-of-Processing Difficulties, 273  
    Job-Specific Tactical Simulation 1—Dynamic Visual Scanning Activity, 441  
    Job-Specific Tactical Simulation 2—Target Detection on Visual Scanning Activity, 441  
    Medication Management Self-Report Questionnaire, 392  
    Medication Schedule, 400  
    Medication Summary, 400  
    Memory Strategy—Intentional Reading, 294  
    Money Management, 408–414  
    Note-Taking Strategies, 432–433  
    Organizing the Mail, 401  
    Pacing, 398–399  
    Perform First Aid for Bleeding of an Extremity, 439–440  
    Problem-Solving Process, 307–308  
    Project Planning Strategy—Divide and Conquer, 305–306  
    Rating Your Executive Function Skills, 297  
    Reconnecting With Your Spouse or Significant Other, 424–425  
    Reengaging in Household Roles and Activities, 426  
    Return to Duty, 435–448  
    Return to School, 429–434  
    Return to School Needs Assessment—Essential Skills for College Success, 429–430  
    Self-management, 392–415  
    Social Roles, 416–428  
    Strategies for Problem Identification, 298  
    Strategies to Improve Attention—Identifying Your High- and Low-Demand Tasks, 281–283  
    Strategies to Improve Attention—Managing Interruptions and Multiple Tasks, 285  
    Strategies to Improve Attention—Modifying Your Approach and Workspace, 284  
    Strategies to Improve Initiation, 302  
    Strategies to Improve Self-Regulation—Pausing, 301  
    Strategy-Prioritization, 309  
    Study-Reading Systems, 431  
    Taking Breaks, 396–397  
    Ten Ways to Improve Your Memory, 295  
    Test-Taking Strategies, 434  
    Topographical Symbols on a Military Map, 435–436  
    Understanding Executive Functions, 296  
    Understanding Hierarchy of Attention Levels, 272  
    Understanding Human Information Processing, 269  
    Understanding the Environment of Play and the Role of Cooperation in Child-Related Activities, 422–423  
    Understanding the Multifactor Model of Functioning After Concussions, 270–271  
    Understanding the Structure of Play and Parent-Child Activities, 420–421  
    Understanding Your Child’s World—Infant (0–1 Year Old), 416–417  
    Understanding Your Child’s World—Toddler (1–3 Years Old), 418–419  
    Using a Smartphone or Planner to Manage Money, 415  
Patient-Specific Functional Scale, 150–152  
Pausing strategies, 247, 301  
PCS. *See* Postconcussion syndrome  
Penn State University Center for Academic Achievement, 372  
Perception time, 13  
Phonetic alphabet, 327  
Phoria, 108  
Photophobia management, 139–140  
Physical fitness  
    components of training, 452  
    exercise log, 453–454  
    postconcussion syndrome, 450–451  
    program for balance retraining following vestibular deficits, 39, 87–88  
    return to sport, 450  
    warfighter fitness, 451–454  
Physical symptoms  
    academic performance and, 369  
Physical therapy. *See also* Therapeutic interventions  
    clinical examination, 11  
    general process for delivering services, 3  
    general schema for, 5  
Planners  
    as memory aids, 355

as money management aids, 415  
 POPS. *See* Participation Objective, Participation Subjective  
 Positional test, 12  
 Positional vertigo, 14  
 Postconcussion syndrome, 450–451  
 Posterior canal benign paroxysmal positional vertigo, 30–32  
 Posttraumatic headache  
   assessment of, 148–155  
   Henry Ford Headache Disability Inventory, 149  
   interventions, 157  
   Neck Disability Index, 155, 160–165  
   Numeric Pain Rating Scale, 152–154  
   Patient-Specific Functional Scale, 150–152  
 Postural stability exercise program, 38–39  
 Posturography, computerized dynamic, 66–69  
 Practice options  
   defined, 4  
 Practice standards  
   defined, 4  
 Prereading exercises, 142  
 Princeton University  
   The McGraw Center for Teaching & Learning, 372  
 Prioritization strategy, 252, 309  
 Problem identification, 298  
 Problem solving, 244, 246, 251–252, 307–308  
 Progressive lenses  
   segments in, 98  
 Project planning strategy, 251, 305–306  
 Prospective memory, 237  
 PSFS. *See* Patient-Specific Functional Scale  
 Psychogenic stuttering, 261–263  
 PTH. *See* Posttraumatic headache  
 PTSD Coach, 241  
 Pursuits  
   interventions for, 125–127, 129  
   Northeastern State University College of Optometry Oculomotor Test, 112–116

## Q

Quality of life. *See* Health-related quality of life  
 Quality of Life Assessment, 6  
 Quality of Life Outcomes, 100–101

## R

RBANS. *See* Repeatable Battery for the Assessment of Neuropsychological Status  
 RBMT. *See* Rivermead Behavioral Memory Test  
 Reading strategies, 370–371, 431  
 Rehabilitation. *See also* Therapeutic interventions  
   after concussion/mild traumatic brain injury, 4–7  
   cognitive rehabilitation overview, 221–222  
   cognitive rehabilitation principles, 222–223  
   for unilateral vestibular dysfunction, 32–37  
 Rehabilitation and Reintegration Division, 228  
*Rehabilitation Research Principles and Applications*, 3  
 Relaxation techniques, 347  
 Reliability  
   defined, 3  
 Repeatable Battery for the Assessment of Neuropsychological Status, 181–182  
 Retrospective memory, 237  
 Return to duty  
   combat scenario training, 377, 379  
   combat simulation, 380–381  
   determining grid coordinates of a point on a military map, 383, 437–438

dress uniform error detection, 387  
 drill and ceremony review, 377  
 Duty Roster Activity, 386, 442–445  
 dynamic visual scanning activity, 384–385, 441  
 Eagle First Responder skills, 376–377  
 interventions, 375–376  
 job-specific tactical simulations, 384–385, 441  
 judgmental shooting scenarios, 380  
 land navigation review, 379–380  
 medical skills training for care under fire scenario, 379  
 occupational therapy grading sheet, 378–379  
 patient handouts, 435–448  
 performance validation program, 376–381  
 performing first aid for bleeding extremity, 384, 439–440  
 performing work roles, 375–376  
 physical tasks, 377  
 rollover training, 377  
 target detection visual scanning activity, 385, 441  
 topographical symbols on a military map performance measures, 382, 435–436  
 training schedule, 386–387  
 zero and qualify weapon, 377  
 Return-to-Duty Performance Validation Program, 376–381  
 Return to school  
   accommodations for students with cognitive disabilities, 373–374  
   interventions, 367  
   needs assessment, 368, 429–430  
   note taking, 371–372, 432–433  
   overview, 366–367  
   patient handouts, 429–434  
   postdeployment symptoms influencing academic performance, 368–369  
   reading strategies, 370–371, 431  
   studying strategies, 431  
   test-taking strategies, 372–373, 434  
 Revised High-Level Mobility Assessment tool, 74–76  
 Rivermead Behavioral Memory Test, 194–195  
 RMDQ. *See* Roland Morris Disability Questionnaire  
 Roland Morris Disability Questionnaire, 150, 152  
 Roll test, 17–18  
 Rollover training, 377  
 Romberg test, 52–54  
 Rotary chair test, 12  
 Routine building, 248–249, 250, 303

## S

Saccades  
   Developmental Eye Movement test, 110–112  
   interventions for, 127–128, 129  
   Northeastern State University College of Optometry Oculomotor Test, 112–116  
 School, return to. *See* Return to school  
 SCOLP. *See* Speed and Capacity of Language Processing  
 Selective attention, 234, 272, 276–279  
 Self-awareness, 348  
 Self-management  
   bill paying, 346–347, 354–355, 401, 407–414  
   budget establishment, 353–354, 402–406  
   Canadian Occupational Performance Measure, 337–339  
   emotional, 245–246, 299–300  
   fatigue issues, 341–342, 344–345, 347–348, 393–397  
   mail organization, 353, 401  
   medication management, 342–344, 345–346, 349–352, 392, 400  
   money management, 346–347, 353–355, 408–415  
   Occupational Self-Assessment, 339–341  
   patient handouts, 392–415

sleep issues, 341–342, 344–345  
for temporomandibular dysfunction, 172  
Self-reflection, 225, 267–268, 348  
Self-regulation, 246, 247, 301  
Sensitivity  
  defined, 3  
Sensory Interaction on Balance, Modified Clinical, 61–63  
Sensory organization test, 13, 66–69  
SF-36. *See* Medical Outcomes Study 36-Item Short-Form Health Survey  
Sharpened Romberg test, 52–54  
Short-term memory, 237, 269  
Single-Limb Stance Test, 50–52  
Sister Kenny Dynamic Functional Task Observation Checklist, 102–103, 204, 214–218  
Sleep issues, 341–342, 344–345, 369, 393–394  
SLP. *See* Speech-language pathology  
SLS test. *See* Single-Limb Stance Test  
Smartphones  
  as memory aids, 239–241, 355  
  as money management aid, 415  
Social communication  
  assessment of, 196–202, 218–220, 258  
  The Awareness of Social Inference Test, 198–200  
  Boston Naming Test, 196–197  
  deficits in, 258  
  Discourse Comprehension Test, 201–202  
  Functional Assessment of Communication Skills for Adults, 218–220  
  interventions, 259–260  
  La Trobe Communication Questionnaire, 200–201  
  overview, 257–258  
Social roles  
  Activity Co-Engagement Self-Assessment, 356, 357, 359, 360–362  
  Assessment of Communication and Interaction Skills, 356–357, 358  
  Canadian Occupational Performance Measure, 356  
  Dyadic Adjustment Scale, 356, 359, 362  
  patient handouts, 416–428  
  reengaging with spouses, children, and friends, 356, 362–366, 416–428  
SOT. *See* Sensory Organization Test  
Specificity  
  defined, 3  
Speech dysfluencies, 260–263  
Speech-language pathology. *See also* Occupational therapy  
  cognition evaluation, 179–180  
  general process for delivering services, 3  
  general schema for delivering services, 6–7  
Speed and Capacity of Language Processing, 188–190  
Sports  
  return to, 450  
Spouses  
  household roles and activities, 426–428  
  reengaging with, 356, 362–366, 424–425  
SQ4R system, 431  
Stanford University Office of Accessible Education, 372  
Stereo Randot Test, 118–119  
Stereopsis  
  Stereo Randot Test, 118–119  
Stress  
  academic performance and, 369  
  stress-reduction activities, 395  
Studying strategies, 431  
Stuttering, acquired, 260–263  
Sustained attention, 234, 272, 274–275

## T

T2 Mood Tracker, 241  
Tactical Breather, 241  
Tandem Romberg test, 54  
Target acquisition, 13  
Target detection visual scanning, 385, 441  
Target tracking, 13  
TASIT. *See* The Awareness of Social Inference Test  
TEA. *See* Test of Everyday Attention  
Temporomandibular dysfunction  
  assessment of, 168–170  
  interventions, 171–172  
  Jaw Functional Limitation Scale, 169–170  
  joint protection, 172  
  self-care, 172  
Test of Everyday Attention, 186–188  
Test-taking strategies, 372–373, 434  
The Awareness of Social Inference Test, 198–200  
The Journey Home, 228  
The McGraw Center for Teaching & Learning, 372  
*The Soldier's Manual of Common Tasks*, 383  
Therapeutic interventions. *See also* Occupational therapy; Physical therapy  
  balance deficits, 85–88  
  canalith repositioning maneuvers, 30–32  
  cognition, 220–263  
  cognition deficits, 220–263  
  dual-task performance, 328–332  
  higher-level abilities, 86–87  
  posttraumatic headache, 157  
  practice standards, 4  
  temporomandibular dysfunction, 171–172  
  vestibular deficits, 29–39  
  vision deficits, 120–143  
Thinking strategies, 249  
36-Item Short-Form Health Survey, 458, 459–460  
Timed Up and Go Test, 323  
TMD. *See* Temporomandibular dysfunction  
Toddlers. *See* Children  
Topographical symbols, 382, 435–436  
Traumatic brain injury  
  after blast exposure, 11, 14  
  assessments, 2–4  
  balance assessment, 46–85  
  balance intervention, 85–88  
  ceiling effect, 46  
  cognition assessment, 178–220  
  cognition deficit interventions, 220–309  
  dual-task intervention, 328–332  
  dual-task performance assessments, 322–328  
  health-related quality of life, 458–468  
  participation assessment, 458–468  
  physical fitness, 449–454  
  posttraumatic headache assessment, 148–155  
  posttraumatic headache intervention, 157  
  rehabilitation after, 4–7  
  return to duty, 375–387, 435–448  
  return to school, 366–374, 429–434  
  self-management, 337–355, 392–415  
  social roles, 356–366, 416–428  
  temporomandibular dysfunction assessment, 168–170  
  temporomandibular dysfunction intervention, 171–172  
  therapeutic interventions, 4  
  vestibular assessment, 10–29  
  vestibular intervention, 29–39  
  vision assessment, 98–120



vision intervention, 120–143  
 TUG Test. *See* Timed Up and Go Test  
 Tutorial Assistance Program, 374

## U

Unilateral vestibular dysfunction  
   rehabilitation for, 32–37  
 Unilateral vestibular hypofunction or loss, 29  
 Unipedal stance normative values, 51  
 Universities. *See* Return to school  
 University of Missouri, 15  
 Unrealistic expectations  
   academic performance and, 369  
 US Army Uniform Guide, 387  
 UVH/L. *See* Unilateral vestibular hypofunction or loss

## V

VADL Scale. *See* Vestibular Disorders Activities of Daily Living Scale  
 Vernon, Howard, 160  
 Vertigo. *See also* Benign paroxysmal positional vertigo  
   assessment of, 14  
 Vestibular deficits  
   after blast exposure, 11, 14  
   assessment of, 10–29  
   clinical examination, 11  
   clinical testing, 11–13  
   dizziness and, 10  
   exercise-induced dizziness, 37–39  
   fitness and conditioning program, 39, 87–88  
   interventions, 29–39  
   laboratory testing, 11–13  
   motion sensitivity, 37–39  
   nystagmus and, 14  
   plan of care, 11  
   unilateral vestibular dysfunction rehabilitation, 32–37  
   vertigo and, 14  
 Vestibular Disorders Activities of Daily Living Scale, 28–29  
 Vestibular ocular reflex, 29  
*Vestibular Rehabilitation, Third Edition*, 10  
 Vestibular Special Interest Group, 15  
 Veterans Affairs Post 9-11 GI Bill, 374  
 Virtual combat convoy trainer, 377, 379  
 Vision deficits  
   accommodative amplitude test, 105–106  
   assessment of, 98–120  
   Brain Injury Visual Assessment Battery for Adults, 119–120  
   College of Optometrists in Vision Development Quality of Life Outcomes, 100–101  
   compensatory approaches, 121  
   components of vision screen, 99  
   confrontation field test, 116–118  
   Developmental Eye Movement test, 110–112  
   diplopia, 133–134  
   distance visual acuity testing, 104  
   dynamic functional task observation, 101–104  
   Dynavision 2000 Light Training Board, 140–141  
   Eye Alignment Test, 108–110  
   general instructions for treating, 121  
   glare management, 139–140  
   grading tasks, activity analysis, 121–122  
   impaired accommodation, 128–130  
   impaired convergence, 130, 131–133  
   impaired pursuits, 125–127, 129  
   impaired saccades, 127–128, 129  
   interventions, 120–143

near point of convergence, 107–108  
 Neuro Vision Technology Scanning Device, 142  
 Neurovision Rehabilitator, 142–143  
 Northeastern State University College of Optometry Oculomotor Test, 112–116  
 oculomotor therapy, 121  
 photophobia management, 139–140  
 poor acuity, 123–125  
 prereading exercises, 142  
 Stereo Randot Test, 118–119  
 supplementary therapeutic activity options, 140–143  
 visual field loss, 135–136  
 visual neglect and inattention, 136–139  
 writing exercises, 142  
 Visual Acuity Test, Dynamic, 13, 19–20  
 Visual acuity testing, distance, 104  
 Visual Analog Scale, 152  
 Visual Assessment Battery for Adults, 119–120  
 Visual attention, 276–279, 287  
 Visual field  
   confrontation field test, 116–118  
   visual field loss, 135–136  
 Visual scanning, dynamic, 384–385, 441  
 Visual scanning, target detection, 385, 441  
 Visual scanning activities, 384–385  
 VOR. *See* Vestibular ocular reflex

## W

Walking and Remembering Test, 323, 325–326  
 Warfighter fitness, 451–454  
 Weapons skills, 377  
 Whiplash-associated disorder, 155, 160–165  
 WHOQOL-BREF. *See* World Health Organization Quality of Life–BREF  
 WJ III COG. *See* Woodcock-Johnson III Tests of Cognitive Abilities  
 Woodcock-Johnson III Tests of Cognitive Abilities, 184–186  
 Work roles, 375–376  
 Working memory, 237, 269  
 World Health Organization Quality of Life–BREF, 458, 463–464  
 Worry  
   academic performance and, 369  
 Writing exercises, 142

