

INDEX

A

- Abrin, 70
- AC. *See* Hydrogen cyanide
- ACADA. *See* Automatic Chemical Agent Alarm
- ACAM2000 vaccine, 65
- Acetylcholinesterase
 - nerve agent effect, 3–6, 15–16
- AChE. *See* Acetylcholinesterase
- Acids
 - military working dogs exposure, 169
- Action potentials, 3
- Aflatoxins, 69
- Agent 15. *See* Incapacitating agents
- Air sacs
 - effect of phosgene, 39
- Airway. *See* Respiratory system
- Alarms, 144
- Alcohols
 - military working dogs exposure, 169
- Alkalis
 - military working dogs exposure, 169
- Alternative Footwear Solution, 136
- Aluminum powder, 37
- Alveolar-capillary membrane, 39
- Alveoli
 - description of, 34–35
 - effect of phosgene, 39
- Ambulatory casualty decontamination, 121–129
- Ammonia, 35–38
- Amphetamines
 - as incapacitating agents, 50
- Amyl nitrite, 31–32
- Anthrax, 60–61
- Antibacterial creams, 27
- Antibiotic eye ointment, 25
- Anticholinergics. *See* Incapacitating agents

- Antidote Treatment Nerve Agent Autoinjectors
 - nerve agents, 1, 10–14, 105
- Antidotes
 - cyanide, 29
 - incapacitating agents, 49, 51
 - nerve agents, 8–15
- Antipsychotics
 - as incapacitating agents, 50
- Apnea
 - nerve agent effect, 5
- Argentinean hemorrhagic fever, 66
- Arsenical vesicant agents, 161
- Asbestos
 - military working dogs exposure, 168
- Assisted ventilation
 - nerve agent treatment, 15
- ATNAAs. *See* Antidote Treatment Nerve Agent Autoinjectors
- Atropine
 - nerve agent treatment, 10, 13–15
- Automatic Chemical Agent Alarm, 1, 19, 73, 144

B

- Bacillus anthracis*, 60–61
- BAL. *See* British antilewisite
- Barbiturates
 - as incapacitating agents, 50
- Benzodiazapines
 - as incapacitating agents, 50
- Betadine, 59
- Bio Thrax, 61
- Biological agents
 - appearance of weaponized agents, 55–56
 - attacks, 87–89
 - categories of, 54
 - characteristics of, 53–55
 - decontamination, 59–60
 - detection of, 56
 - downwind hazard distance, 88

- epidemiology, 57–58
 - major threats, 60–66
 - medical evacuation, 60
 - military working dogs exposure, 170–171
 - overview, 53
 - portals of entry, 54
 - psychological manifestations, 55
 - recognition of an attack, 55–58
 - responding to an attack, 58–59
 - sample processing, 56–57
 - triage, 60
 - Type P attacks, 88
 - Type Q attacks, 88
 - Type R attacks, 88
 - Type S attacks, 88
 - types of attacks, 88
- Biological Integrated Detection System, 56
- Blister agent conjunctivitis, 25
- Blister agents. *See* Vesicants
- Blisters
 - vesicants injuries, 26–27
- Blood agents. *See* Cyanide
- Bolivian hemorrhagic fever, 66
- Botulinum toxins, 68–69
- Brain
 - nerve agent effect, 7
- British antilewisite, 161
- Bronchi
 - description of, 34–35
 - inflammation of, 39
- Bronchioles
 - effect of phosgene, 39
- Bronchorrhea
 - nerve agent effect, 6
- Buboes, 63
- Bubonic plague, 62–63
- Buddy aid
 - cyanides, 31
 - incapacitating agents, 51
 - nerve agent, 8–14
 - riot-control agents, 46
 - vesicants, 23–24
- BZ. *See* Incapacitating agents
- C**
- C2A1 filter canisters, 38, 132
- Caffeine
 - as incapacitating agent, 50
- CANAs. *See* Convulsive Antidote, Nerve Agent
- Capillaries
 - description of, 34–35
 - effect of phosgene, 39
- Capsaicin, 44, 46
- Carbon tetrachloride, 36
- CARC. *See* Chemical agent resistant coating
- Cardiac muscle
 - nerve agent effects, 6
- Case fatality rate
 - anthrax, 60
 - cholera, 61
 - plague, 62
 - smallpox, 64
 - tularemia, 65
 - viral hemorrhagic fevers, 66
- CBRN. *See* Chemical, biological, radiological, or nuclear casualties
- Central airway compartment, 34–35, 38
- Central nervous system
 - nerve agent effects, 7
- Central nervous system stimulants
 - as incapacitating agents, 50
- CFR. *See* Case fatality rate
- CG. *See* Phosgene
- Chemical, Biological, Radiological, and Nuclear Warning and Reporting System, 89
- Chemical, biological, radiological, or nuclear casualties
 - military working dogs and, 149–150
 - triage categories, 78–80
- Chemical Agent Alarm, 1, 19, 73, 144
- Chemical Agent Detector Kit, 1, 19, 29, 30, 33, 73, 140–141
- Chemical agent detector paper, 1, 19, 73, 86–87, 99, 105, 139–140
- Chemical agent resistant coating, 97
- Chemical agents. *See also* specific chemical agents
 - attacks, 85–87
 - decontamination, 84–87
 - evaluation of casualties, 76–77
 - Type A attack, 85–86
 - Type B attack, 86–87, 89
 - Type C attack, 87

- Chemical-biological protective mask, 134
- Chemical Warfare Agent Detector, 1
- Chemical Water Testing Kit, 19, 29, 144–146
- Chlorine, 37
- Chloropicrin, 44
- Choking agents. *See* Lung-damaging agents
- Cholera, 61–62
- Cholinergic crisis, 4
- Cholinergic neurons, 3
- Ciprofloxacin, 61, 65, 170–171
- CK. *See* Cyanogen chloride
- Cl. *See* Chlorine
- Clostridium botulinum*, 68–69
- Clostridium perfringens*, 70
- CN. *See* Riot-control agents
- Cocaine
as incapacitating agent, 50
- Concentration-time product, 2
- Conjunctivitis
blister agent effects, 25
- Contamination Sign Kit, 92
- Convulsive Antidote, Nerve Agent, 1, 11–15, 73, 105
- Coxiella burnetti*, 63–64
- CR. *See* Riot-control agents
- Crimean-Congo hemorrhagic fever, 66
- CS. *See* Riot-control agents
- Ct. *See* Concentration-time product
- Cyanide
absorption, 164
attacks, 86
buddy aid, 31
care provider actions, 31–32
decontamination, 29, 165
detection of, 30
effects of, 30–31
field detection, 29
medical management, 29
military working dogs exposure, 164–165
NATO Codes, 29
overview, 29–30
physical characteristics, 30
self-aid, 31
signs and symptoms, 29, 164–165
treatment, 165
- Cyanogen chloride
attacks, 86
buddy aid, 31
detection of, 30
effects of, 30–31
overview, 29–30
physical characteristics, 30
self-aid, 31
signs and symptoms, 31
time of onset, 31
- D**
- Decontaminable Litter, 147–148
- Decontamination. *See also* Patient decontamination sites
biological agents, 59–60, 83
biological contamination, 87–89
chemical contamination, 84–87
cyanide, 29, 165
immediate, 82
incapacitating agents, 49, 52, 163
levels of, 82
litter casualty decontamination, 110–121
lung-damaging agents, 33
military working dogs, 172–174
moving casualties through decontamination site, 80
nerve agents, 1, 10, 155
overview, 81–82
patient operational decontamination, 82
patient thorough decontamination, 82
riot-control agents, 43, 47, 166
tactical planning, 89–90
toxic industrial chemicals, 33, 170
toxins, 67, 68
training, 72–74
vesicants, 19, 160
- Deliriants
as incapacitating agents, 50
- Delusions, 51
- Dengue, 66
- Detectors, 138–146
- Detergents
military working dogs exposure, 169

Dexamethasone sodium phosphate-neomycin ophthalmic ointment, 25
DHD. *See* Downwind hazard distance
Diazepam
 nerve agent treatment, 11, 13–15
Dimercaprol, 161
Distilled mustard
 military working dogs exposure, 158
DM. *See* Riot-control agents
Dogs. *See* Military working dogs
Domoic acid, 70
Downwind hazard distance, 88
Doxycycline, 61, 62, 63, 64, 170–171
Dry land drowning, 39

E

Ebola virus, 66
ECP. *See* Entry control points
Ecstasy
 as incapacitating agent, 50
Emergency medical treatment
 patient decontamination sites, 100, 104–105
EMT. *See* Emergency medical treatment
Entry control points, 99–100, 102
Epibatidine, 70
Epsilon toxin, 70
Erythema
 vesicants injuries, 25–26
Ethylene glycol
 military working dogs exposure, 169
Evacuation. *See* Medical evacuation
Exposure history, 74–76
Eyes
 nerve agent injuries, 4–5, 153
 vesicants exposure, 25–26, 159

F

Fasciculation
 nerve agent effect, 7
Field detection
 cyanide, 29
 incapacitating agents, 49
 lung-damaging agents, 33
 nerve agents, 1
 toxic industrial chemicals, 33

Field management
 casualty evaluation, 76–80
 chemical casualties, 76–77
 exposure history, 74–76
 moving casualties through decontamination site, 80
 preparedness, 71–72
 training, 72–74
 triage categories, 78–80
Field medical cards, 112
Filter canisters, 38
FMC. *See* Field medical cards
Foam plastics, 36
Food and Drug Administration, 15
Footwear, 136
Fox Reconnaissance System, 1, 19, 33
Francisella tularensis, 65–66

G

G-agents. *See* Nerve agents
GA. *See* Nerve agents
Gases
 military working dogs exposure, 170
Gastrointestinal tract
 nerve agent effects, 6
 vesicants exposure, 159
GB. *See* Nerve agents
GD. *See* Nerve agents
GF. *See* Nerve agents
Grained aluminum, 37
Gunpowder, 36

H

H. *See* Sulfur mustard
Hantavirus, 66
Hazardous metals
 military working dogs exposure, 168
HC smoke, 37
HD. *See* Sulfur mustard
Heart
 nerve agent effects, 6
Hexachloroethane, 37
HL. *See* Sulfur mustard/lewisite mixture
Hydrocarbons
 military working dogs exposure, 168

- Hydrochloric acid, 37
- Hydrogen cyanide
 attacks, 86
 buddy aid, 31
 detection of, 30
 effects of, 30–31
 overview, 29–30
 physical characteristics, 30
 self-aid, 31
 signs and symptoms, 31
 time of onset, 31
- Hydrogen sulfide
 military working dogs exposure, 170
- Hypochlorate solution, 19
- Hypochlorite solution, 1, 59
- I**
- ICAM. *See* Improved Chemical Agent Monitor; Individual Chemical Agent Alarm
- Improved Chemical Agent Monitor, 1, 73, 86, 141–142
- Incapacitating agents
 absorption, 162
 buddy aid, 51
 care provider actions, 51
 decontamination, 49, 52, 163
 detection of, 50
 effects of, 50–51
 field detection, 49
 medical management, 49
 military working dogs exposure, 162–164
 NATO Code, 49
 overview, 49–50
 physical characteristics, 50
 self-aid, 51
 signs and symptoms, 49, 162–163
 treatment, 163–164
- Incapacitating dose
 nerve agents, 2
- Incendiary agents
 military working dogs exposure, 167
- Individual Chemical Agent Alarm, 19
- Individual Equipment Decontamination Kit, 24, 138
- Individual protective equipment
 alarms, 144
 Alternative Footwear Solution, 136
 decontamination of, 82
 detection, 138–146
 individual decontamination, 137–138
 individual decontamination kit, 24, 138
 individual protection, 131–136
 Joint Service Lightweight Integrated Suit Technology, 111–116, 123–124, 134–136
 Joint Service Lightweight Integrated Suit Technology Block 2 Glove Upgrade, 136
 Joint Service Personnel/Skin Decontamination System, 137–138
 masks, 38, 131–134
 patient protective equipment, 146–148
- Inhalational anthrax, 60–61
- IPE. *See* Individual protective equipment
- Irritants. *See* Riot-control agents
- J**
- JB2GU. *See* Joint Service Lightweight Integrated Suit Technology Block 2 Glove Upgrade
- JCAD. *See* Joint Chemical Agent Detector
- Joint Chemical Agent Detector
 cyanide, 29
 description of, 142–144
 lung-damaging agents, 33
 nerve agents, 1
 preparation of, 73
 toxic industrial chemicals, 33
 vesicants, 19
- Joint Service General Purpose Masks, 38, 133–134
- Joint Service Lightweight Integrated Suit Technology, 111–116, 123–124, 134–136
- Joint Service Lightweight Integrated Suit Technology Block 2 Glove Upgrade, 136

Joint Service Personnel/Skin Decontamination System, 137–138

JSGPM. *See* Joint Service General Purpose Masks

JSLIST. *See* Joint Service Lightweight Integrated Suit Technology

K

Korean hemorrhagic fever, 66

L

L. *See* Lewisite

Lacrimators. *See* Riot-control agents

Laryngospasms, 14, 39

Larynx

description of, 34–35

inflammation of, 39

Lassa fever, 66

LCt₅₀. *See* Lethal concentration

LD₅₀. *See* Lethal dose

Lethal concentration

nerve agents, 2

Lethal dose

nerve agents, 3

Lewisite

attacks, 87

military working dogs exposure, 157–162

overview, 19–20

physical characteristics of, 20

signs and symptoms, 19

Litter, decontaminable, 147–148

Litter casualty decontamination, 110–121

Lung-damaging agents. *See also* Respiratory system

centrally acting, 35–36, 39–40

clinical effects, 39–41

decontamination, 33

detection of, 37

field care, 41

field detection, 33

mechanisms of action, 38–39

medical management, 33

military working dogs exposure, 166

NATO Codes, 33

overview, 33–34

peripherally acting, 36–37, 40–41

physical properties, 38

protection from, 38

respiratory system and, 34

signs and symptoms, 33

types of, 34–37

Lung sacs

description of, 34–35

Lungs. *See also* Respiratory system

vesicants injuries, 27

M

M22 Automatic Chemical Agent Alarm, 1, 19, 73, 144

M90 Chemical Agent Detector, 19, 29

M8 chemical agent detector paper, 1, 19, 73, 86, 99, 105, 139–140

M9 chemical agent detector paper, 1, 19, 73, 86–87, 139

M272 Chemical Water Testing Kit, 19, 29, 144–146

M274 Contamination Sign Kit, 92

M61 filters, 38

M295 Individual decontamination kit, 24, 138

M295 Individual Equipment Decontamination Kit, 24

M45 mask, 131–132

M50 mask, 133–134

M51 mask, 133–134

M53 mask, 134

M21 Remote Sensing Chemical Agent Alarm, 1, 19

M93 series Fox Reconnaissance System, 1, 19, 33

M18A2 Chemical Agent Detector Kit, 1, 19, 29, 33

M256A1 Chemical Agent Detector Kit, 1, 19, 29, 30, 73, 140–141

M4A1 Joint Chemical Agent Detector, 142–144

M40A1 mask, 131–132

M42A2 mask, 131–132

Mafenide acetate, 27

Marburg virus, 66

Masks, 38, 131–134

MCT₅₀. *See* Miosis concentration

MCU-2A/P mask, 132–133

Medical evacuation

biological agent attack, 60

vesicants exposure, 25

- Medical management
 cyanide, 29
 incapacitating agents, 49
 lung-damaging agents, 33
 nerve agents, 1
 riot-control agents, 43, 46–47
 toxic industrial chemicals, 33
 toxins, 67
 vesicants, 19
- Medical treatment facilities. *See also*
 Patient decontamination sites
 vesicants exposure evacuation, 25
- Metals, hazardous
 military working dogs exposure,
 168
- Methylene chloride, 36
- Military protective masks, 38
- Military working dogs
 biological agents exposure, 170–171
 chemical, biological, radiological,
 or nuclear injuries, 149–150
 cyanide exposure, 164–165
 decontamination, 172–174
 incapacitating agents exposure,
 162–164
 incendiary agents exposure, 167
 kennel facility protection, 151
 lung-damaging agents exposure,
 166
 nerve agent exposure, 152–157
 nuclear weapons exposure, 172
 pretreatment of, 151–152
 protection of rations and equip-
 ment, 151
 protective measures, 150–152
 radiological weapons exposure, 172
 riot-control agents exposure, 166
 smoke exposure, 167
 toxic industrial chemicals expo-
 sure, 167–170
 vesicants exposure, 157–162
- Miosis concentration
 nerve agents, 1, 2
- Mission-oriented protective posture,
 10, 23, 59, 74, 92–93, 108–109, 135
- Modified table of organization and
 equipment, 99
- MOPP. *See* Mission-oriented protective
 posture
- Mouth
 nerve agent effects, 5
- MTFs. *See* Medical treatment facilities
- MTOE. *See* Modified table of organiza-
 tion and equipment
- Multiservice Tactics, Techniques, and Pro-
 cedures for Treatment of Chemical Agent
 Casualties and Conventional Military
 Chemical Injuries*, 25, 81, 93, 110
- Mustard. *See* Sulfur mustard
- MWD. *See* Military working dogs
- N**
- Narcotics
 as incapacitating agents, 50
- Nasopharynx
 description of, 34–35
 inflammation of, 39
- NATO. *See* North Atlantic Treaty Or-
 ganization
- NBC3 CHEM report, 84
- NBC1 report, 89–90
- Nerve agents
 absorption, 152–153
 antidotes, 8–15
 attacks, 86–87
 buddy aid, 8–14
 decontamination, 1, 10, 155
 drug therapy, 10–15
 effects of, 4–9
 effects on food and water, 153
 field detection, 1
 follow-up treatment for severe
 exposure, 155–157
 initial treatment, 155
 lethal dose values on skin, 3
 mechanism of action, 3–4
 medical management, 1
 mild symptoms, 13
 military working dogs exposure,
 152–157
 NATO Codes, 1
 overview, 1–2
 pretreatment, 15–17, 151–152
 self-aid, 8–13
 severe symptoms, 13–15
 signs and symptoms, 1, 153–155
 skin exposure, 9
 toxicity, 2–3

- treatment, 8–15, 155–157
- vapor exposure, 8, 13
- ventilation, 15
- Neurons
 - nerve agent effect, 3
- Neurotransmitters, 3
- Nicotine
 - as incapacitating agent, 50
- Nitrogen mustard
 - military working dogs exposure, 157–162
- Nitrogen oxides, 36
- North Atlantic Treaty Organization
 - cyanide codes, 29
 - incapacitating agent code, 49
 - lung-damaging agent codes, 33
 - nerve agent codes, 1
 - riot-control agent codes, 43
 - toxic industrial chemical codes, 33
 - vesicants codes, 19
- Nose
 - nerve agent effects, 5
- NOx. *See* Oxides of nitrogen
- Nuclear weapons
 - military working dogs exposure, 172
- O**
- OC. *See* Riot-control agents
- Oleoresin capsicum. *See* Riot-control agents
- Oropharynx
 - description of, 34–35
 - inflammation of, 39
- Oxides of nitrogen, 36
- P**
- Palytoxin, 70
- Pathogens. *See* Biological agents
- Patient decontamination sites. *See also* Decontamination
 - access of, 96–98
 - ambulatory casualty decontamination, 121–129
 - ambulatory patient decontamination line, 100–101, 102
 - casualty decontamination area, 105
 - command and control cell, 102
 - contaminated waste dump area, 106–107
 - contamination check area, 102
 - diagram of, 94
 - disestablishing the site, 107–109
 - emergency medical treatment area, 102
 - emergency treatment areas, 100, 104–105
 - entry control points, 99–100, 102
 - equipment, 98–101
 - equipment recovery, 107–109
 - establishing site, 91–95
 - hot line patient reception, 103
 - key planning elements, 82
 - litter decontamination line, 100–101, 102
 - monitoring during setup, 92–93
 - movement control, 96–98
 - moving casualties through, 80
 - operations, 103–107
 - patient flow, 103–107
 - personnel recovery, 107–109
 - personnel requirements, 101–103
 - personnel training, 72
 - protection during setup, 92–93
 - rehydration point, 106
 - rest area, 106
 - resupply point, 106
 - security of, 95–96
 - site closure, 107–109
 - site preparation phase, 93–95
 - supplies, 98–101
 - triage area, 102, 103–104
 - wind direction and, 91–92
 - work/rest cycles, 103
- Patient protective equipment, 146–148
- Patient Protective Wrap Kit, 146–147
- PCBs. *See* Polychlorinated biphenyls
- PDS. *See* Patient decontamination sites
- Pepper spray
 - as incapacitating agent, 50
- Perchloroethylene, 36
- Perfluoroisobutylene, 36
- Peripheral lung compartment, 34–35, 38–39
- PFIB. *See* Perfluoroisobutylene
- Phencyclidine
 - as incapacitating agent, 50

- Phenols
 military working dogs exposure, 169
- Phosgene
 attacks, 86
 detection of, 37
 effects of, 36, 40
 field detection, 33
 mechanism of action, 38–39
- Physostigmine
 incapacitating agent antidote, 49, 51
- Pinpoint pupils. *See* Miosis concentration
- Plague, 62–63
- Polychlorinated biphenyls
 military working dogs exposure, 168
- Post-neuro-syndrome, 7
- Potassium iodide, 172
- Pralidoxime chloride
 nerve agent treatment, 10, 14
- Pretreatments
 nerve agents and, 15–17
- Propylene glycol
 military working dogs exposure, 169
- Protective equipment. *See* Individual protective equipment
- Pseudomembranes, 36
- Pulmonary edema, 38–39
- Pulmonary system. *See* Respiratory system
- Pyridostigmine bromide
 nerve agent pretreatment, 15–17, 151–152
- Q**
- Q-fever, 63–64
- R**
- Radiological weapons
 military working dogs exposure, 172
- RDIC. *See* Resuscitation Device, Individual Chemical
- Reactive Skin Decontamination Lotion, 1, 19, 24, 95, 99–101, 105, 111–112, 137–138
- Remote Sensing Chemical Agent Alarm, 1
- Respiratory system
 compartments of, 34–35
 nerve agent injuries, 154
 toxic industrial chemicals and, 34
 vesicants exposure, 27, 159
- Respiratory tract
 nerve agent effects, 5–6
- Response modifiers. *See* Biological agents
- Resuscitation
 ABCs of, 33
- Resuscitation Device, Individual Chemical, 15, 100, 148
- Rhinorrhea
 nerve agent effect, 1, 5, 13
- Ribavirin, 66
- Ricin, 69
- Rift Valley fever, 66
- Riot-control agents. *See also* Incapacitating agents
 buddy aid, 46
 care provider actions, 46–47
 color of, 45
 decontamination, 43, 47, 166
 detection of, 43, 44
 dispensing methods, 45
 effects of, 45–46
 medical management, 43
 military working dogs exposure, 166
 NATO Codes, 43
 odor of, 45
 overview, 44
 physical characteristics, 44, 45
 self-aid, 46
- RSCAAL. *See* Remote Sensing Chemical Agent Alarm
- RSDL. *See* Reactive Skin Decontamination Lotion
- Rule of nines, 25–26
- S**
- Sarin. *See* Nerve agents
- Saxitoxins, 70
- SEB. *See* Staphylococcal enterotoxin B

- Self-aid
 - cyanides, 31
 - incapacitating agents, 51
 - nerve agents, 8–13
 - riot-control agents, 46
 - vesicants, 23–24, 27
 - Shuffle pits, 128
 - Silver sulfadiazine burn cream, 27
 - Skeletal muscle
 - nerve agent effects, 6–7
 - Skin
 - nerve agent effects, 154–155
 - vesicants exposure, 25–27, 158–159
 - Smallpox, 64–65
 - Smoke
 - military working dogs exposure, 167
 - SNAPP. *See* Soman nerve agent pyridostigmine pretreatment
 - Soaps
 - military working dogs exposure, 169
 - skin decontamination method, 1, 19, 59
 - Sodium nitrite, 29
 - Sodium thiosulfate, 29
 - Soldier's Manual of Common Tasks*, 24
 - Soman. *See* Nerve agents
 - Soman nerve agent pyridostigmine pretreatment, 151–152
 - Spinal cord
 - nerve agent effect, 7
 - Staphylococcal enterotoxin B, 69
 - STB. *See* Super tropical bleach
 - Steroid antibiotic eye ointment, 25
 - Sulfur mustard
 - attacks, 87
 - detection of, 21–22
 - effects of, 22–23, 36, 40
 - mechanism of action, 38
 - military working dogs exposure, 157–162
 - overview, 19–20
 - physical characteristics of, 20
 - signs and symptoms, 19
 - Sulfur mustard/lewisite mixture
 - detection of, 22
 - effects of, 23
 - military working dogs exposure, 157–162
 - overview, 19–20
 - physical characteristics of, 20
 - signs and symptoms, 19
 - Super tropical bleach, 94–95, 107–108
 - Sweat glands
 - nerve agent effects, 6
 - Synaptic clefts, 3
 - Synaptic receptors, 3–4
 - Systemic absorption
 - nerve agents, 154
 - vesicants, 159–160
- T**
- T-2 toxin, 69
 - Tabun. *See* Nerve agents
 - TAP. *See* Toxicological agent protective aprons
 - Tearing agents. *See* Riot-control agents
 - Teflon, 36
 - Tetrodotoxin, 70
 - TICs. *See* Toxic industrial chemicals
 - Toxic industrial chemicals
 - centrally acting, 36–37, 39–40
 - clinical effects, 39–41
 - decontamination, 33, 170
 - detection of, 37
 - field care, 41
 - field detection, 33
 - mechanisms of action, 38–39
 - medical management, 33
 - military working dogs exposure, 167–170
 - NATO Codes, 33
 - overview, 33–34
 - peripherally acting, 36–37, 40–41
 - physical properties, 38
 - protection from, 38
 - respiratory system and, 34
 - signs and symptoms, 33
 - treatment, 170
 - types of, 168–170
 - Toxicity
 - nerve agents, 2–3
 - Toxicological agent protective aprons, 101, 105, 118
 - Toxins
 - abrin, 70

- aflatoxins, 69
 - botulinum toxins, 68–69
 - classification of, 67–68
 - decontamination, 67, 68
 - detection of, 67, 68
 - domoic acid, 70
 - epibatidine, 70
 - epsilon toxin, 70
 - mechanisms of action, 67–68
 - medical management, 67
 - overview, 67
 - palytoxin, 70
 - physical properties, 68
 - protection from, 68
 - ricin, 69
 - saxitoxins, 70
 - signs and symptoms, 67
 - staphylococcal enterotoxin B, 69
 - T-2 toxin, 69
 - tetrodotoxin, 70
 - Toxins, biological. *See* Biological agents
 - Trachea
 - description of, 34–35
 - inflammation of, 39
 - Triage
 - biological agents, 60
 - categories, 78–80
 - definition of, 76
 - delayed category, 79, 80
 - expectant category, 79–80
 - immediate category, 78, 80
 - minimal category, 79, 80
 - moving casualties through decontamination site, 80
 - patient decontamination sites, 102, 103–104
 - vesicants, 25
 - Tularemia, 65–66
 - 2-PAM CL. *See* Pralidoxime chloride
- V**
- Variola major*, 64–65
 - Venezuelan hemorrhagic fever, 66
 - Ventilation, assisted
 - nerve agent treatment, 15
 - Vesicants
 - attacks, 86
 - buddy aid, 23–24
 - decontamination, 19, 24, 160
 - detection of, 19, 21–22
 - effects of, 22–23
 - field treatment, 24–27
 - immediate casualty decontamination, 24
 - medical management, 19
 - military working dogs exposure, 157–162
 - mitigation, 21
 - NATO Codes, 19
 - overview, 19–20
 - physical characteristics, 20
 - self-aid, 23–24
 - signs and symptoms, 19, 158–160
 - treatment, 160–162
 - Vesication, 26–27
 - VHF. *See* Viral hemorrhagic fevers
 - Vibrio cholerae*, 61–62
 - Viral hemorrhagic fevers, 66
 - VX. *See* Nerve agents
- W**
- Water testing kits, 19, 29, 144–146
 - White phosphorus
 - military working dogs exposure, 167
 - Working dogs. *See* Military working dogs
- Y**
- Yellow fever, 66
 - Yersinia pestis*, 62–63
- Z**
- Zinc oxide, 37

